




каталог продукции


Станочная оснастка

M 类 复合压紧式

Top and hole clamping


★结构特点 Design features

- 压板和偏心销双重紧固式 Top and hole clamping dualclamp.
- 紧固力强，适用于中~重切削/用 Greatfastening fastening force.
- 刀片多转位角，经济耐用 Indexable inserts,economy and durability.





P 类 杠杆压紧式

Hole clamping



★结构特点 Design features

- 采用螺钉直接压紧。Using screw for direct clamping.
- 结构简单，配件少。Simple structure, fewer parts.
- 精~中加工用。Apply For Micro And Medium Processes.




★ M 类复合压紧式 Top and hole clamping



★ P 类 杠杆压紧式 Hole clamping



螺纹车削刀具 Threading tools



★ S 类螺钉压紧式 Screw on








★ S 类钨钢内孔刀杆 Tungsten steel Internal Turning tools




切断切槽刀具 Parting, grooving tools

★ 外圆、端面切断切槽刀具 External Parting, Surface Grooving Tools






★ MCLNR/L



型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 stock		a	b	L	h	s	e							
	R	L													
1616H12			16	16	100	16	21	30							
2020K12			20	20	125	20	25	28			WS061025				
2525M12			25	25	150	25	32		CN □□ 1204 □□			MC1204	S3	MCL1814	MSP617
3225P12			32	25	170	32	32	32			WS061030				
3232P12			32	32	170	32	39	32							
2525M16			25	25	150	25	32	38							
3225P16			32	25	170	32	33	38	CN □□ 1606 □□		WS061030	MC1604	S3	MCL2114	MSP821
3232P16			32	32	170	32	40	38							
3232P19			32	32	170	32	40	43							
3232P19			32	32	170	32	40	43	CN □□ 1906 □□		WS081030	MC1904	S4	MCL2217	MSP1021
4040R19			40	40	200	40	50	43							

MCLNR/L


★ MCKNR/L



型号 Type	基本尺寸 Dimension(mm)							适用刀片 Applicable blade	配件 parts	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	a	b	L	h	s	e								
2020K12	20	20	125	20	25	28		CN □□ 1204 □□		WS061025				
2525M12	25	25	150	25	32	28				WS061030	MC1204	S3	MCL1814	MSP617
3225P12	32	25	170	32	32	28								
2525M16	25	25	150	25	32	30		CN □□ 1606 □□		WS061030	MC1604	S3	MCL2114	MSP821
3225P16	32	25	170	32	32	30								
3232P16	32	32	170	32	38	30								
3232P19	32	32	170	32	40	36		CN □□ 1906 □□		WS081030	MC1904	S4	MCL2217	MSP1021
4040R19	40	40	200	40	48	36								

MCKNR/L


★ MCBNR/L



型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 tock		a	b	L	h	s	e								
	R	L														
	2020K12			20	20	125	20	17	32		WS061025					
	2525M12			25	25	150	25	22	32	CN □□ 1204 □□	WS061030	MC1204		MCL1814	MSP617	
	3225P12			32	25	170	32	22	32							
	2525M16			25	25	150	25	22	36							
	3225P16			32	25	170	32	22	35	CN □□ 1606 □□	WS061030	MC1604		MCL2114	MSP821	
	3232P16			32	32	170	32	27	35							
	3232P19			32	32	170	32	27	40							
	4040R19			40	40	200	40	35	40	CN □□ 1906 □□	WS081030	MC1904		MCL2217	MSP1021	
	MCB NR/L															

MCBNR/L


★ MDJNR/L



型号 Type	基本尺寸 Dimension(mm)							适用刀片 Applicable blade	配件 parts	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	a	b	L	h	s	e								
1616H11	16	16	100	16	20	30		DN □□ 1104 □□		WS061025				
2020K11	20	20	125	20	25	32				WS061030	MD1103	S2 S3	MCL1814	MSP513
2525M11	25	25	150	25	32	32								
3225P11	32	25	170	32	32	32				WS061025				
2020K1504/06	20	20	125	20	25	36								
2525M1504/06	25	25	150	25	32	38		DN □□ 1504 □□ DN □□ 1506 □□		WS061030	MD1504	S3	MCL2114	04:MSP617 06:MSP619
3225P1504/06	32	25	170	32	32	38								
3232P1504/06	32	32	170	32	40	38								
4040R15	40	40	200	40	48	40		DN □□ 1506 □□						




MDJNR/L

★ MDPNN





型号 Type	基本尺寸 Dimension(mm)						配件 parts 适用刀片 Applicable blade	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud	
	a	b	L	h	s	e							
MDPNN	1616H11	16	16	100	16	8	35	DN □□1104 □□	WS061025				
	2020K11	20	20	125	20	10	34		WS061030		S2 S3	MCL1814	MSP513
	2525M11	25	25	150	25	12.5	36						
	3225P11	32	25	170	32	12.5	35		WS061025	MD1103			
	2020K1504/06	20	20	125	20	10	42	DN □□1504 □□ DN □□1506 □□					
	2525M1504/06	25	25	150	25	2.5	42						
	3225P1504/06	32	25	170	32	12.5	42						
	3232P1504/06	32	32	170	32	16	42				S3	MCL2114	04:MSP617 06:MSP619

★ MDQNR/L




型号 Type	基本尺寸 Dimension(mm)						配件 parts 适用刀片 Applicable blade	双头螺钉 Clamping screw 	刀垫 Shim 	扳手 Wrench 	压板 Clamp 	销钉 Clamping stud 
	a	b	L	h	s	e						
	1616H11	16	16	100	16	21	30	DN □□ 1104 □□	WS061025	MD1103	S2 S3	MCL1814
2020K11	20	20	125	20	25	32	WS061030					
2525M11	25	25	150	25	30	30						
3225P11	32	25	170	32	30	30						
2020K1504/06	20	20	125	20	27	36	DN □□ 1504 □□ DN □□ 1506 □□	WS061025	MD1504	S3	MCL2114	04:MSP617 06:MSP619
2525M1504/06	25	25	150	25	32	35		WS061030				
3225P1504/06	32	25	170	32	32	35						
3232P1504/06	32	32	170	32	40	35						

★ MSBNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 stock		Dimension(mm)													
	R	L	a	b	L	h	s	e								
MSBNR/L																
2020K12			20	20	125	20	17	34		WS061025						
2525M12			25	25	150	22	22	32	SN □□ 1204 □□	WS061030		MS1204	S3	MCL1814	MSP617	
3225P12			32	25	170	32	22	32								
2525M15			25	25	150	25	22	38	SN □□ 1506 □□	WS061030		MS1504	S3	MCL2114	MSP821	
3232P15			32	32	170	32	29	38								
3232P19			32	32	170	32	27	45	SN □□ 1906 □□	WS081030		MS1904	S4	MCL2217	MSP1021	
4040R19			40	40	200	40	35	45								
4040S25			40	40	250	40	34	60	SN □□ 2509 □□	WS101035		MS2508	S4,S5	MCL3220	MSP1229	

★ MSRNR/L




型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud	
	库存 tock		Dimension(mm)													
	R	L	a	b	L	h	s	e								
2020K12			20	20	125	20	22	32	SN □□1204□□	WS061025	MS1204	S3	MCL1814	MSP617		
2525M12			25	25	150	25	27	32		WS061030						
3225P12			32	25	170	32	27	32								
2525M15			25	25	150	25	27	38		SN □□1506□□	WS061030	MS1504	S3	MCL2114	MSP821	
3232P15			32	32	170	32	35	38					S4	MCL2217	MSP1021	
3232P19			32	32	170	32	35	43	SN □□1906□□	WS081030	MS1904					
4040R19			40	40	200	40	43	43								
4040S25			40	40	250	40	43	55	SN □□2509□□	WS101035	MS2508	S4,S5	MCL3220	MSP1229		
MSRNR/L																

★ MSKNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud	
	库存 stock		a	b	L	h	s	e							
	R	L													
2020K12			20	20	125	20	22	32		WS061025					
2525M12			25	25	150	25	27	32	SN □□ 1204 □□	WS061030	MS1204	S3	MCL1814	MSP617	
3225P12			32	25	170	32	27	32							
2525M15			25	25	150	25	27	38							
3232P15			32	32	170	32	35	38	SN □□ 1506 □□	WS061030	MS1504	S3	MCL2114	MSP821	
3232P19			32	32	170	32	35	43	SN □□ 1906 □□	WS081030	MS1904	S4	MCL2217	MSP1021	
4040R19			40	40	200	40	43	43							
4040S25			40	40	250	40	43	55	SN □□ 2509 □□	WS101035	MS2508	S4,S5	MCL3220	MSP1229	
MSKNR/L															

★ MSDNN





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 rock		a	b	L	h	s	e								
	R	L														
2020K12			20	20	125	20	10	34		WS061025	MS1204	S3	MCL1814	MSP617		
2525M12			25	25	150	25	12.5	34	SN □□ 1204 □□	WS061030						
3225P12			32	25	170	32	12.5	34								
2525M15			25	25	150	25	12.5	42	SN □□ 1506 □□	WS061030	MS1504	S3	MCL2114	MSP821		
3232P15			32	32	170	32	16	42								
3232P19			32	32	170	32	16	45	SN □□ 1906 □□	WS081030						MS1904
4040R19			40	40	200	40	20	50								
4040S25			40	40	250	40	20	60	SN □□ 2509 □□	WS101035	MS2508	S4,S5	MCL3220	MSP1229		
MSDNN																

★ MSSNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 stock		a	b	L	h	s	e						
	R	L												
2020K12			20	20	125	20	25	36	WS061025	MS1204	S3	MCL1814	MSP617	
2525M12			25	25	150	25	30	36	WS061030					
3225P12			32	25	170	32	30	33	SN □□ 1204 □□					
3232P12			32	32	170	32	38	35		WS061030	S3	MCL2114	MSP821	
2525M15			25	25	150	25	30	40	SN □□ 1506 □□					
3232P15			32	32	170	32	38	40	SN □□ 1906 □□					
3232P19			32	32	170	32	38	45	WS081030	MS1904	S4	MCL2217	MSP1021	
4040R19			40	40	200	40	46	45	SN □□ 2509 □□					
4040S25			40	40	250	40	50	60	WS101035	MS2508				S4,S5
MSSNR/L														

★ MTGNNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud	
	库存 stock		a	b	L	h	s	e							
	R	L													
2020K16			20	20	125	20	25	32		WS061025	MT1603	S2, S3	MCL1814	MSP513	
2525M16			25	25	150	25	32	30	TN □□ 1604 □□	WS061030					
3225P16			32	25	170	32	32	30							
2525M22			25	25	150	25	32	36			MT2204	S3	MCL2114	MSP617	
3225P22			32	25	170	32	32	36	TN □□ 2204 □□	WS061030					
3232P22			32	32	70	32	38	36							
MTGNNR/L															

★ MTJNR/L





型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 tock		a	b	L	h	s	e							
	R	L													
1616H16			16	16	100	16	20	28	TN □□1604□□	WS061025	MT1603	S2, S3	MCL1814	MSP513	
2020K16			20	20	125	20	25	32							
2525M16			25	25	150	25	32	32							
3225P16			32	25	170	32	32	32							
3232P16			32	32	170	32	32	32							
2525M22			25	25	150	25	32	36	TN □□2204□□	WS061030	MT2204	S3	MCL2114	MSP617	
3225P22			32	25	170	32	32	36							
3232P22			32	32	170	32	38	36							
MTJNR/L															

★ MTJNR/L(B)





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 tock		a	b	L	h	s	e						
	R	L												
MTJNR/L(B)	1616H16B			16	16	100	16	20	28	WS061025	MT1603	S2, S3	MCL1814	MSP513
	2020K16B			20	20	125	20	25	32					
	2525M16B			25	25	150	25	32	32	WS061030				
	3225P16B			32	25	170	32	32	32					
	3232P16B			32	32	170	32	32	32					
	2525M22B			25	25	150	25	32	36					
	3225P22B			32	25	170	32	32	36	WS061030				
	3232P22B			32	32	170	32	38	36					
									TN □□1604□□					
									TN □□2204□□		S3	MCL2114	MSP617	

★ MTFNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 tock		a	b	L	h	s	e						
	R	L												
1616H16			16	16	100	16	21	28	WS061025	MT1603	S2, S3	MCL1814	MSP513	
2020K16			20	20	125	20	25	30						TN □□ 1604□□
2525M16			25	25	150	25	32	32	WS061030	MT2204	S3	MCL2114	MSP617	
3225P16			32	25	170	32	32	32						
3232P16			32	32	170	32	38	32	WS061030	MT2204	S3	MCL2114	MSP617	
2525M22			25	25	150	25	32	36						
3225P22			32	25	170	32	32	36	TN □□ 2204□□	MT2204	S3	MCL2114	MSP617	
3232P22			32	32	170	32	38	36						
MTFNR/L														

★ MTQNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 tock		a	b	L	h	s	e						
	R	L												
MTQNR/L	2020K16			20	20	125	20	29	25	WS061025				
	2525M16			25	25	150	25	35	28	WS061030				
	3225P16			32	25	170	32	35	25					
	2525M22			25	25	150	25	38	36					
	3232P22			32	32	170	32	46	36	WS061030	MT2204	S3	MCL2114	MSP617

★ MTENN





型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 stock		a	b	L	h	s	e							
	R	L													
1616H16			16	16	100	16	8	32	TN □ 1604 □ □	WS061025					
2020K16			20	20	125	20	10	34							
2525M16			25	25	150	25	2.5	32							
3232P16			32	32	170	32	16	32							
MTENN															

★ MVJNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud					
	库存 stock		a	b	L	h	s	e											
	R	L																	
1616H16			16	16	100	16	22	43	WS061025 WS061030	MV1603									
2020K16			20	20	125	20	26	45											
2525M16			25	25	150	25	32	45											
3225P16			32	25	170	32	32	45											
3232P16			32	32	170	32	40	45											
MVJNR/L																			

★ MVVNN




型号 Type		基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
		库存 stock		a	b	L	h	s	e							
		R	L													
2020K16				20	20	125	20	10	45	VN □ 1604 □ 只装模块刀片	WS061025	MT1603	S2 S3	MCL2414	MSP513	
2525M16				25	25	150	25	12.5	45		WS061030					
3225P16				32	25	170	32	12.5	45							
3232P16				32	32	170	32	16	45							
MVVNN																

★ MVUNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud			
	库存 stock		a	b	L	h	s	e									
	R	L															
1616H16			16	16	100	16	20	45	WS061025 WS061030	MV1603	S2 S3	MCL2414	MSP513				
2020K16			20	20	125	20	25	45									
2525M16			25	25	150	25	32	45									
3225P16			32	25	170	32	32	45									
3232P16			32	32	170	32	40	45									
MVUNR/L																	

★ MVQNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存托块		a	b	L	h	s	e						
	R	L												
1616H16			16	16	100	16	24	36	VN □□1604□□ 只装铁钻刀片	WS061025	MV1603	S2 S3	MCL2114	MSP513
2020K16			20	20	125	20	27	36						
2525M16			25	25	150	25	33	36						
3225P16			32	25	170	32	33	36		WS061030				
3232P16			32	32	170	32	40	36						

★ MWLNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存托块		a	b	L	h	s	e						
	R	L												
2020K06			20	20	125	20	25	28	WN □□0604 □□	WS061025	MM0603	S2 S3	MCL1814	MSP617
2525M06			25	25	150	25	32	30		WS061030				
2020K08			20	20	125	20	26	28		WS061025				
2525M08			25	25	150	25	32	35	WN □□0804 □□	WS061030	MM0804	S3		
3225P08				32	25	170	32	32						
3232P08				32	32	170	32	40	35					
MWLN/R/L														

★ MRGNR




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存托块		a	b	L	h	s	e						
	R	L												
MRGNR	2020K12			20	20	125	20	25	28	RN □□ 1204□□ WS061025 WS061030	MR1204	S3	MCL1814	MSP617
	2525M12			25	25	150	25	32	32					
	3225P12			32	25	170	32	32	32					
	3232P12			32	32	170	32	39	32					

★ MRDNN





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	双头螺钉 Clamping screw	刀垫 Shim	扳手 Wrench	压板 Clamp	销钉 Clamping stud
	库存 stock		a	b	L	h	s	e						
	R	L												
MRDNN	2020K12			20	20	125	20	10	30	WS061025	MR1204	S3	MCL1814	MSP617
	2525M12			25	25	150	25	12.5	32					
	3225P12			32	25	170	32	12.5	30	WS061030				
	3232P12			32	32	170	32	16	30					

★ PCBNR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin
	库存 tock		a	b	L	h	s	e								
	R	L														
2020K12			20	20	125	20	17	30			CN □□ 1204 □□	VHX0821	PC12318	S3	LV4	SP4
2525M12			25	25	150	25	22	26								
3232P12			32	32	170	32	29	27								
2525M16			25	25	150	25	22	32								
3232P16			32	32	170	32	27	33								
3232P19			32	32	170	32	27	38								
4040S19			40	40	250	40	35	38								
4040S2507			40	40	250	40	37	50								
4040S2509			40	40	250	40	37	50			CN □□ 1606 □□	VHX1027	PC19476	S4	LV6	SP6
											CN □□ 1906 □□	VHX1236	PC25	S5	LV8	SP8
											CN □□ 2507 □□					
											CN □□ 2509 □□					

★ PCLNLR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snim pin	
	库存 tock		a	b	L	h	s	e							
	R	L													
PCLNR/L	1616H09			16	16	100	16	20	20						
	2020K09			20	20	125	20	25	22	CN □□ 0903 □□	PC09318	S2.5	LV3	SP3	
	2525M09			25	25	150	25	32	22						
	2020K12			20	20	125	20	26	28						
	2525M12			25	25	150	25	32	28						
	3232P12			32	32	170	32	39	32	CN □□ 1204 □□	PC12318	S3	LV4	SP4	
	2525M16			25	25	150	25	32	36						
	3232P16			32	32	170	32	39	36						
	3232P19			32	32	170	32	40	40						
	4040S19			40	40	250	40	49	40	CN □□ 1906 □□	PC19476	S4	LV6	SP6	
4040S2507			40	40	250	40	50	47							
4040S2509			40	40	250	40	50	47	CN □□ 2507 □□	PC25	S5	LV8	SP8		
			40	40	250	40	50	47	CN □□ 2509 □□						

★ PDJNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snm pin	
	库存 tock														
	R	L	a	b	L	h	s	e							
PDJNR/L															
1616H11			16	16	100	16	20	25							
2020K11			20	20	125	20	25	25	DN □□ 1104 □□	VHX0613	PD11270	S2.5	LV3		SP3
2525M11			25	25	150	25	30	30							
2020K15			20	20	125	20	25	32							
2525M15			25	25	150	25	32	35	DN □□ 1506 □□	VHX0825	PD15318	S3	LV4B		SP4
3232P15			32	32	170	32	38	35							
2020K15-3			20	20	125	20	25	35							
2525M15-3			25	25	150	25	32	35	DN □□ 1504 □□	VHX0821	PD15318	S3	LV4		SP4
3232P15-3			32	32	170	32	38	35							

★ PDNNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snim pin		
	库存 tock		a	b	L	h	s	e								
	R	L														
	2020K15			20	20	125	20	5	37							
	2525M15			25	25	150	25	12.5	37	DN □□ 1506 □□	VHX0825	PD15318	S3	LV4B	SP4	
	3225P15			32	25	170	32	12.5	37							
	3232P15			32	32	170	32	16	37							
	2020K15-3			20	20	125	20	8	37							
	2525M15-3			25	25	150	25	12.5	37	DN □□ 1504 □□	VHX0821	PD15318	S3	LV4	SP4	
	3232P15-3			32	32	170	32	16	37							
	PDNNR/L															

★ PSBNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snim pin
	库存 tock		a	b	L	h	s	e						
	R	L												
1616H09			16	16	100	16	13	21	SN □□ 0903 □□	VHX0613	PS09318	S2.5	LV3	SP3
2020K09			20	20	125	20	17	23						
2020K12			20	20	125	20	17	28						
2525M12			25	25	150	25	22	28						
3225P12			32	25	170	32	22	28	SN □□ 1204 □□	VHX0821	PS12318	S3	LV4	SP4
3232P12			32	32	170	32	29	28						
2525M15			25	25	150	25	22	32	SN □□ 1506 □□	VHX0825	PS15476	S3	LV5	SP5
3232P15			32	32	170	32	28	32						
3232P19			32	32	170	32	36	45						
4040S19			40	40	250	40	35	45	SN □□ 1906 □□	VHX1027	PS19476	S4	LV6	SP6
4040S2507			40	40	250	40	35	50	SN □□ 2507 □□	VHX1236	PS25634	S5	LV8	SP8
4040S2509			40	40	250	40	35	50	SN □□ 2509 □□		PS25476			
PSBNR/L														

★ PSDNN





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin
	库存 stock		a	b	L	h	s	e						
	R	L												
2020K12			20	20	125	20	10	30						
2525M12			25	25	150	25	12.5	32	SN □□ 1204 □□	VHX0821	PS12318	S3	LV4	SP4
3232P12			32	32	170	32	16	30						
2525M15			25	25	150	25	12.5	40	SN □□ 1506 □□	VHX0825	PS15476	S3	LV5	SP5
3232P15			32	32	170	32	16	40						
3232P19			32	32	170	32	16	40	SN □□ 1906 □□	VHX1027	PS19476	S4	LV6	SP6
4040S19			40	40	250	40	20	40	SN □□ 2507 □□	VHX1236	PS25634	S5	LV8	SP8
4040S2507			40	40	250	40	20	50	SN □□ 2509 □□		PS25476			
4040S2509			40	40	250	40	20	50						

★ PSKNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin
	库存 stock		a	b	L	h	s	e						
	R	L												
1616H09			16	16	100	16	20	17	SN □□ 0903 □□	VHX0613	PS09318	S2.5	LV3	SP3
2020K09			20	20	125	20	25	20						
2020K12			20	20	125	20	25	26						
2525M12			25	25	150	25	30	26	SN □□ 1204 □□	VHX0821	PS12318	S3	LV4	SP4
3232P12			32	32	170	32	38	26						
2525M15			25	25	150	25	32	32	SN □□ 1506 □□	VHX0825	PS15476	S3	LV5	SP5
3232P15			32	32	170	32	38	32						
3232P19			32	32	170	32	38	36	SN □□ 1906 □□	VHX1027	PS19476	S4	LV6	SP6
4040S19			40	40	250	40	48	32						
4040S2507			40	40	250	40	50	40	SN □□ 2507 □□	VHX1236	PS25634	S5	LV8	SP8
4040S2509			40	40	250	40	50	40	SN □□ 2509 □□		PS25476			
PSKNR/L														



★ PSSNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin
	库存 tock		a	b	L	h	s	e						
	R	L												
1616H09			16	16	100	16	18	25	SN 00 0903 00	VHX0613	PS09318	S2.5	LV3	SP3
2020K12			20	20	125	20	25	28						
2525M12			25	25	150	25	30	32	SN 00 1204 00	VHX0821	PS12318	S3	LV4	SP4
3232P12			32	32	170	32	38	32						
2525M15			25	25	150	25	30	35	SN 00 1506 00	VHX0825	PS15476	S3	LV5	SP5
3232P15			32	32	170	32	38	35						
3232P19			32	32	170	32	38	40	SN 00 1906 00	VHX1027	PS19476	S4	LV6	SP6
4040S19			40	40	250	40	48	50	SN 00 2507 00	VHX1236	PS25634	S5	LV8	SP8
4040S2507			40	40	250	40	48	50	SN 00 2507 00		PS25476			
4040S2509			40	40	250	40	48	50	SN 00 2509 00					



PSSNR/L

★ PRDCN





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inserts	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin		
	库存 tock		R	a		b	L		h	s							e	
	L			a	L		b	L		s								
PRDCN																		
2020K12				20	20	125	20	10	25		RCMX1204□□	VHX0613	PR1204	S2.5	LCL12C	SP3		
2525M12				25	25	150	25	2.5	25									
2525M16				25	25	150	25	10	35		RCMX1606□□	VHX0621	PR1604	S2.5	LCL16C	SP4		
3232P16				32	32	170	32	16	32									
3232P20				32	32	150	25	30	35		RCMX2006□□	VHX0825	PR2004	S3	LCL20C	SP5		
4040T20				40	40	300	40	20	45									
3232P25				32	32	170	32	16	45		RCMX2507□□	VHX1030	PR2506	S4	LCL25C	SP6		
4040T25				40	40	300	40	20	50									

★ PRACR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inserts	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin		
	库存 stock		R	a		b	L								h	e
	L															
2020K12				20	20	125	20	30	RCMX1204□□	VHX0613	PR1204	S2.5	LCL12C	SP3		
2525M12				25	25	150	25	30								
2525M16				25	25	150	25	35	RCMX1606□□	VHX0621	PR1604	S2.5	LCL16C	SP4		
3232P16				32	32	170	32	35								
3232P20				32	32	170	32	40								
4040T20				40	40	300	40	50	RCMX2006□□	VHX0825	PR2004	S3	LCL20C	SP5		
3232P25				32	32	170	32	45								
4040T25				40	40	300	40	50	RCMX2507□□	VHX1030	PR2506	S4	LCL25C	SP6		
PRACR/L																

★ PRGCR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inserts	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin				
	库存 stock		a		b		L								h		s	
	R	L																
2020K12				20	20	125	20	25		RCMX1204□□	VHX0613	PR1204	S2.5	LCL12C	SP3			
2525M12				25	25	150	25	32										
2525M16				25	25	150	25	35		RCMX1606□□	VHX0621	PR1604	S2.5	LCL16C	SP4			
3232P16				32	32	170	32	42										
3232P20				32	32	170	32	40		RCMX2006□□	VHX0825	PR2004	S3	LCL20C	SP5			
4040T20				40	40	300	40	50										
3232P25				32	32	170	32	45		RCMX2507 □□	VHX1030	PR2506	S4	LCL25C	SP6			
4040T25				40	40	300	40	56										
PRGCR/L																		

★ PTGCR/L





型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin
	库存 tock		a	b	L	h	s	e							
	R	L													
1616H11			16	16	100	16	19	18							
2020K11			20	20	125	20	24	20	TN □□ 1103 □□	VHX059B	-		S2	LV2	--
2525M11			25	25	150	25	29	20							
1616H16			16	16	100	16	19	22							
2020K16			20	20	125	20	23	25	TN □□ 1604 □□	VHX0617	PT16		S2.5	LV3	SP3
2525M16			25	25	150	25	29	25							
3232P16			32	32	170	32	37	32							
2525M22			25	25	150	25	30	30	TN □□ 2204 □□	VHX0821	PT22		S3	LV4	SP4
3232P22			32	32	170	32	37	32							
3232P27			32	32	170	32	37	38	TN □□ 2706 □□	VHX0825	PT27		S3	LV5	SP5
4040S27			40	40	250	40	47	38							
PTGNR/L															

★ PTFNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snim pin
	库存 tock		a	b	L	h	s	e								
	R	L														
1616H16			16	16	100	16	20	20								
2020K16			20	20	125	20	25	20		TN □□ 1604 □□	VHX0617	PT16	S2.5	LV3		SP3
2525M16			25	25	150	25	30	25								
2525M22			25	25	150	25	32	30		TN □□ 2204 □□	VHX0821	PT22	S3	LV4		SP4
3232P22			32	32	170	32	38	30								
3232P27			32	32	170	32	38	35		TN □□ 2706 □□	VHX0825	PT27	S3	LV5		SP5
4040S27			40	40	250	40	50	34								
PTFNR/L																

★ PTTNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Snim pin	
	库存 tock		a	b	L	h	s	e							
	R	L													
1616H16			16	16	100	16	13	25	TN □□ 1604□□	VHX0617	PT16	S2.5	LV3	SP3	
2020K16			20	20	125	20	17	25							
2525M22			25	25	150	25	22	32	TN □□ 2204 □□	VHX0821	PT22	S3	LV4	SP4	
PTTNR/L															

★ PWLNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	刀垫 Shim	扳手 Wrench	杠杆 Lever	档垫 Shim pin	
	库存 tock		a	b	L	h	s	e							
	R	L													
1616H06			16	16	100	16	19	22							
2020K06			20	20	125	20	23	25	WN □□ 0604 □□	VHX0617	PW06270	S2.5	LV3		SP3
2525M06			25	25	150	25	28	25							
2020K08			20	20	125	20	25	26							
2525M08			25	25	150	25	29	26	WN □□ 0604 □□	VHX0821	PW08318	S3	LV4		SP4
3232P08			32	32	170	32	37	26							
PWLNR/L															

★ SCACR/L




型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托块 R L		a	b	L	h	s			
	R	L	a	b	L	h	s			
1010E06			10	10	70	10	10.5	10	L60M2.5×5	T0.8
1212F09			12	12	80	12	12.7	16	L60M4×8	T15
SCACR/L										

★ SCLCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托块		a	b	L	h	s	e			
	R	L									
1212F09			12	12	80	12	15	16	CC □ T09T3 □□	L60M4×8	T15
1616H09			16	16	100	16	20	16			
2020K09			20	20	125	20	23	20			
2020K12			20	20	125	20	24	25	CC □ T 1204 □□	L60M5×12	T20
2525M12			25	25	150	25	29	25			
3225P12			32	25	170	32	29	25			
3232P12			32	32	170	32	36	38			
SCLCR/L											

★ SDACR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
1010E07			10	10	70	10	10.5	15	DC □ T 0702 □□	L60M2.5×5	T08
1212F11			12	12	80	12	12.5	20	DC □ T 11T3 □□	L60M4×8	T15
1616H11			16	16	100	16	16.7	20			
SDACR/L											

★ SDJCR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
1010E07			10	10	70	10	12	15	DC □ T 0702 □□	L60M2.5×5	T08
1212F07			12	12	80	12	14	15			
1616H07			16	16	100	16	18	18			
2020K07			20	20	125	20	22	18			
1616H11			16	16	100	16	19	20	DC □ T 11T3 □□	L60M4×8	T15
2020K11			20	20	125	20	23	26			
2525M11			25	25	150	25	28	26			
3225P11			32	25	170	32	28	26			
3232P11			32	32	170	32	35	31			
SDJCR/L											

★ SDNCN




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托块		a	b	L	h	s	e			
	R	L									
1010E07			10	10	70	10	5	16	DC □ T 0702 □□	L60M2.5×5	T08
1212F07			12	12	80	12	6	20			
1212H11			12	12	100	12	6	22			
1616H11			16	16	100	16	8	22	DC □ T 11T3 □□	L60M4×8	T15
2020K11			20	20	125	20	10	22			
2525M11			25	25	50	25	12.5	22			
SDNCN											

★ SVJCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托块 R L		a	b	L	h	s	e			
	R	L	a	b	L	h	s	e			
1212F11			12	12	80	12	14	20	DC □ T 11T3 □□	L60M2.5×5	T08
1616H11			16	16	100	16	18	22			
2020K11			20	20	125	20	22	27			
2525M11			25	25	50	25	27	35	DC □ T 1604 □□	L60M4×8	T15
1616H16			16	16	100	16	18	32			
2020K16			20	20	125	20	22	32			
2525M16			25	25	150	25	27	35	SVJCR/L		
3225P16			32	25	170	32	27	35			
3232P16			32	32	170	32	35	45			

★ SVJBR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托块 R L		a	b	L	h	s	e			
	R	L	a	b	L	h	s	e			
1212F11			12	12	80	12	14	27	VB □ T 1103 □□	L60M2.5×5	T08
1616H11			16	16	100	16	18	27			
2020K11			20	20	125	20	22	27			
2525M11			25	25	150	25	27	27	VB □ T 1604 □□	L60M4×8	T15
1616H16			16	16	100	16	18	36			
2020K16			20	20	125	20	22	41			
2525M16			25	25	150	25	27	41	SVJBR/L		
3225P16			32	25	170	32	27	41			
3232P16			32	32	170	32	35	41			

★ SVABR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 lock		a	b	L	h	s	e			
	R	L									
1616H16			16	16	100	16	16.5	32	VB □ T 1604 □□	L60M4×8	T15
2020K16			20	20	125	20	20.5	32			
2525M16			25	25	150	25	25.5	38			
SVABR/L											

★ SVACR/L




型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock			a	b	L	h	s	e			
	R	L										
1616H16			16	16	100	16	16.5	32	VC □ T1604 □ □	L60M4×8	T15	
2020K16			20	20	125	20	20.5	32				
2525M16			25	25	150	25	25.5	38				
SVACR/L												

★ SVVBN




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
1212F11			12	12	80	12	6	22	VB □ T 1103 □□	L60M2.5×5	T08
1616H11			16	16	100	16	8	27			
2020K11			20	20	125	20	10	30			
1616H16			16	16	100	16	8	33			
2020K16			20	20	125	20	10	33	VB □ T 1604 □□	L60M4×8	T15
2525M16			25	25	150	25	12.5	38			
3225P16			32	25	170	32	12.5	38			
3232P16			32	32	170	32	16	38			
SVVBN											

★ SVVCN




型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench		
	库存 tock		a		b		L		h				s	e
	R	L												
1212F11			12	12	80	12	6	22		VC □ T 1103 □ □	L60M2.5×5	T08		
1616H11			16	16	100	16	8	27						
2020K11			20	20	125	20	10	30						
1616H16			16	16	100	16	8	33						
2020K16			20	20	125	20	10	33		VC □ T 1604 □ □	L60M4×8	T15		
2525M16			25	25	150	25	12.5	38						
3225P16			32	25	170	32	12.5	38						
3232P16			32	32	170	32	16	38						
SVVCN														

★ SSBCR/L




型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e				
	R	L										
1212F09			12	12	80	12	11	14	SC □ T 09T3 □ □	L60M4×8	T15	
1616H09			16	16	100	16	13	16				
2020K12			20	20	125	20	17	25				
2525M12			25	25	150	25	22	25	SC □ T 1204 □ □	L60M5×12	T20	
3232P12			32	32	170	32	27	28				
SSBCR/L												

★ SSDCN




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托架		a	b	L	h	s	e					
	R	L											
1212F09			12	12	80	12	6	16		SC □ T 09T3 □□	L60M4×8	T15	
1616H09			16	16	100	16	8	16					
2020K09			20	20	125	20	10	16					
2525M09			25	25	150	25	12.5	25					
2020K12			20	20	125	20	10	25					
2525M12			25	25	150	25	12.5	25		SC □ T 1204 □□	L60M5×12	T20	
3232P12			32	32	170	32	16	25					
SSDCN													

★ SSKCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 stock		a	b	L	h	s	e			
	R	L									
1616H09			16	16	100	16	20	13	SC □ T 09T3 □□	L60M4×8	T15
2020K09			20	20	125	20	25	18			
2020K12			20	20	125	20	25	18			
2525M12			25	25	150	25	32	22	SC □ T 1204 □□	L60M5×12	T20
3232P12			32	32	170	32	40	27			
SSKCR/L											

★ SSSCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托架		a	b	L	h	s	e					
	R	L											
1616H09			16	16	100	16	20	16			SC □ T 09T3 □ □	L60M4 × 8	T15
2020K09			20	20	125	20	25	20					
2020K12			20	20	125	20	25	23			SC □ T 1204 □ □	L60M5 × 12	T20
2525M12			25	25	150	25	32	25					
3232P12			32	32	170	32	38	28					
SSSCR/L													

★ STACR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存托架 R L		a	b	L	h	s	e			
1212F11			12	12	80	12	12.5	14	TC □ T 1102 □ □	L60M2.5×5	T08
STACR/L											

★ STFCR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
1212F11			12	12	80	12	14	14	TC□T 1102□□	L60M2.5×5	T08
1616H11			16	16	100	16	18	16			
2020K11			20	20	125	20	22	16			
1616H16			16	16	100	16	18	19			
2020K16			20	20	125	20	22	19	TC□T 16T3□□	L60M4×8	T15
2525M16			25	25	150	25	27	24			
STFCR/L											

★ STGCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
0808D09			08	08	60	8	10	11	TC □ T 0902 □□	L60M2.2×5	T06
1010E09			10	10	70	10	11	11			
1212F11			12	12	80	12	14	14			
1616H11			16	16	100	16	17	16	TC □ T 1102 □□	L60M2.5×5	T08
2020K16			20	20	125	20	22	21			
2525M16			25	25	150	25	27	21			
STGCR/L											
									TC □ T 16T3 □□	L60M4×8	T15

★ STTCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench			
	库存 tock		a	b	L	h	s	e						
	R	L												
1616H11			16	16	100	16	13	14	TC □ T 1102 □ □	L60M2.5×5	T08			
1616H16			16	16	100	16	13	19						
2020K16			20	20	125	20	17	19				TC □ T 16T3 □ □	L60M4×8	T15
STTCR/L														

★ SWACR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 tock		a	b	L	h	s	e			
	R	L									
1010E04			10	10	70	10	10.5	10	WC□X0402□□	L60M2.5×5	T08
1212F04			12	12	80	12	12.5	14			
1616H06			16	16	100	16	16.5	20			
2020K08			20	20	125	20	20.5	24	WC□X0804□□	L60M4×8	T15

★ SRDCN





型号 Type	基本尺寸 Dimension(mm)						使用的刀片 Applicable Inset	刀片螺钉 Screw	扳手 Wrench	刀垫 Shim	刀垫螺钉 Screw	刀垫扳手 Wrench
	库存 stock	a	b	L	h	s	e					
2020K06		20	20	125	20	10	11	RC □ T0602 □□				
2525M06		25	25	150	25	12.5	11		T08	-	-	-
2020K08		20	20	125	20	10	16	RC □ T0803 □□				
2525M08		25	25	150	25	12.5	16		T09	-	-	-
2020K10		20	20	125	20	10	25	RC □ T10T3 □□				
2525M10		25	25	150	25	12.5	25		T15	-	-	-
2020K12		20	20	125	20	10	35	RC □ T1204 □□				
2525M12		25	25	150	25	12.5	35		T15	-	-	-
3225P12		32	32	170	32	16	35					
2525M16		25	25	150	25	12.5	35	RC □ T1606 □□		R16BS	SM0614	S4
3232P16		32	32	170	32	16	40					
3232P20		32	32	170	32	16	40					
4040S20		40	40	250	40	20	40	RCMX2006		R20BS	SM0814	S5

★ SRGCR/L





型号 Type	基本尺寸 Dimension(mm)						使用的刀片 Applicable Inset	刀片螺钉 Screw	扳手 Wrench	刀垫 Shim	刀垫螺钉 Screw	刀垫扳手 Wrench
	库存 stock	a	b	L	h	s						
2020K10		20	20	125	20	25	RC □ T10T3 □□	L60M3.5×10				
2525M10		25	25	150	25	32			T15	-	-	-
2020K12		20	20	125	20	27	RC □ T1204 □□	L60M3.5×12				
2525M12		25	25	150	25	32			T15	-	-	-
3232P12		32	32	170	32	32						
2525M16		25	25	150	25	32	RC □ T1606 □□	L60M4×16		R16BS	SM0614	S4
3232P16		32	32	170	32	40						
3232P20		32	32	170	32	40						
4040S20		40	40	250	40	48	RCMX2006	L60M5×16-8.1		R20BS	SM0814	S5

★ SRACR/L




型号 Type	基本尺寸 Dimension(mm)						使用的刀片 Applicable Inset	刀片螺钉 Screw	扳手 Wrench	刀垫 Shim	刀垫螺钉 Screw	刀垫扳手 Wrench
	库存 stock	a	b	L	h	s						
2020K06		20	20	125	20	15	RC □ T0602 □□	L60M2.5×5	T08	-	-	-
2525M06		25	25	150	25	23						
2020K08		20	20	125	20	18	RC □ T0803 □□	L60M3×7	T09	-	-	-
2525M08		25	25	150	25	23						
2020K10		20	20	125	20	20	RC □ T10T3 □□	L60M3.5×10	T15	-	-	-
2525M10		25	25	150	25	25						
2020K12		20	20	125	20	28	RC □ T1204 □□	L60M3.5×12	T15	-	-	-
2525M12		25	25	150	25	28						
3225P12		32	32	170	32	28						
2525M16		25	25	150	25	35	RC □ T1606 □□	L60M4×16	T15	R16BS	SM0614	S4
3232P16		32	32	170	32	40						
3232P20		32	32	170	32	40						
4040S20		40	40	250	40	55	RCMX2006	L60M5×16-8.1	T20	R20BS	SM0814	S5

★ CCLNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw							
	库存 tock		a	b	L	h	s	e													
	R	L																			
2020K12			20	20	125	20	26	32							CN □□1207□□	MC1204	S4,S3	CCL2612	DM0625	DSP0612	
2525M12			25	25	150	25	31	31													
2525M16			25	25	150	25	32	36													
3225P16			32	25	170	32	32	36							CN □□1606□□	MC1604	S4	CCL2816	DM0830	DSP0812	
CCLNR/L																					

★ CDJNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e								
	R	L														
2525M15			25	25	150	25	32	40	DN □□1507□□							
			32	25	170	32	32	40								
CDJNR/L																

★ CCKNR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e								
	R	L														
2020K12			20	20	125	20	26	28							DSP0612	
2525M12			25	25	150	25	32	30	SN □□1207□□						DM0625	
3225P12			32	25	170	32	32	30							CCL2612	
CSKNR/L																

★ CSDNN




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e								
	R	L														
2020K12			20	20	125	20	10	36								
2525M12			25	25	150	25	12.5	36	SN □□1207 □□							
3225P12			32	25	170	32	12.5	36								
CSDNN																

★ CSRNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 stock													
	R	L	a	b	L	h	s	e						
2020K12			20	20	125	20	22	32						
2525M12			25	25	150	25	27	32	SN □□1207□□	MS1204	S4,S3	CCL2612	DM0625	DSP0612
3225P12			32	25	170	32	27	32						
3225P15			32	25	170	32	32	40	SN □□1507□□	MS1504	S4	CCL2816	DM0830	DSP0812
4040R15			40	40	200	40	43	40						
CSRNR/L														

★ CRDNN




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e						
	R	L												
2020K12			20	20	125	20	10	36	RN □□1207□□	MR1204	S4,S3	CCL2612	DM0625	DSP0612
			25	25	150	25	12.5	36						
2525M12														
			32	25	170	32	12.5	36						
3225P12														
CRDNN														

★ CTJNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock													
	R	L	a	b	L	h	s	e						
2020K16			20	20	125	20	26	32	TN □ 1607 □ □	MT1603	S4,S3	CCL2612	DM0625	DSP0510
	2525M16			25	25	150	25	31						
CTJNR/L														

★ CTUNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw	
	库存 tock		a	b	L	h	s	e							
	R	L													
2020K16			20	20	125	20	25	32	TN □ 1607□	MT1603	S4,S3	CCL2612	DM0625	DSP0510	
2525M16			25	25	150	25	32	32							
CTUNR/L															

★ DCLNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Camp screw	螺钉 Screw					
	库存 stock		a	b	L	h	s	e	32												
	R	L								30											
2020K12			20	20	125	20	27			CN □□ 1204 □□							MC1204	S4,S3	DCL2612	DM0625	DSP0612
2525M12			25	25	150	25	32														
3232P12			32	32	170	32	39														
DCLNR/L																					

★ DCBNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw					
	库存 stock		a	b	L	h	s	e											
	R	L																	
2020K12			20	20	125	20	17	34							MC1204	S4,S3	DCL2612	DM0625	DSP0612
			25	25	150	25	22	36											
			32	32	170	32	29	34											
DCBNR/L																			

★ DCKNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw						
	库存 stock		a	b	L	h	s	e														
	R	L																				
DCKNR/L	2020K12			20	20	125	20	26	28	CN□□1204□□							MC1204			DCL2612	DM0625	DSP0612
	2525M12			25	25	150	25	32	28													
	3232P12			32	32	170	32	39	28													

★ DCMNN



型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 stock		a	b	L	h	s	e								
	R	L														
2020K12			20	20	125	20	10	36								
			25	25	150	25	12.5	36	CN □□ 1204 □□							
			32	32	170	32	16	36								
DCMNN																



★ DDJNR/L



型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw	
	库存 stock		a	b	L	h	s	e								
	R	L														
2020K11			20	20	125	20	25	32	DN □□1104□□		MD1103	S3	DCL2211	DM0520	DSP0510	
2525M11			25	25	150	25	30	32								
2020K1504			20	20	125	20	25	40								DN □□1504□□
2525M1504			25	25	150	25	31	40								
3232P1504			32	32	170	32	39	40	MD1504		S4,S3	DCL2612	DM0625	DSP0612		
2020K1506			20	20	125	20	25	40							DN □□1506□□	
2525M1506			25	25	150	25	31	40								
3232P1506			32	32	170	32	39	40								
DDJNR/L																

DDJNR/L

★ DDPNN





型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 stock		a	b	L	h	s	e							
	R	L													
2020K11			20	20	125	20	10	32	DN □□1104□□	MD1103	S3	DCL2211	DM0520	DSP0510	
2525M11			25	25	150	25	12.5	36							
2020K1504			20	20	125	20	10	36	DN □□1504□□						
2525M1504			25	25	150	25	12.5	36							
3232P1504			32	32	170	32	16	36							
2020K1506			20	20	125	20	10	36	DN □□1506□□	MD1504	S4,S3	DCL2612	DM0625	DSP0612	
2525M1506			25	25	150	25	12.5	36							
3232P1506			32	32	170	32	16	36							

DDPNN

DDPNN



★ DDQNR/L



型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 stock		a	b	L	h	s	e							
	R	L													
2020K11			20	20	125	20	25	28	DN □□1104□□	MD1103	S4,S3	DCL2211	DM0520	DSP0510	
2525M11			25	25	150	25	31	28							
2020K1504			20	20	125	20	26	36							
2525M1504			25	25	150	25	32	36	DN □□1504□□						
3232P1504			32	32	170	32	38	36							
2020K1506			20	20	125	20	26	36							
2525M1506			25	25	150	25	32	36	DN □□1506□□						
3232P1506			32	32	170	32	38	36							
DDQNR/L															

DDQNR/L



★ DSBNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw	
	库存 stock		a	b	L	h	s	e							
	R	L	20	25	125	150	20	23							34
2020K12			20	25	125	150	20	23	34						
2525M12			25	25	150	25	25	23	32	SN □□1204□□					
3232P12			20	20	170	32	30	33							
DSB NR/L															


DSBNR/L

★ DSDNN





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e						
	R	L												
2020K12			20	20	125	20	10	36	MS1204 SN □□1204□□			DCL2612	DM0625	DSP0612
2525M12			25	25	150	25	12.5	36						
3232P12			32	32	170	32	12.5	36						
DSDNN														

★ DSSNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
2020K12			20	20	125	20	25	36	MS1204	S3,S4	DCL2612	DM0625	DSP0612	
2525M12			25	25	150	25	30	35						
3232P12			32	32	170	32	38	35						
DSSNR/L														

★ DSKNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s	e						
	R	L												
2020K12				20	20	125	20	26	28	MS1204 SN □□1204□□		DCL2612	DM0625	DSP0612
2525M12				25	25	150	25	36	28					
3232P12				32	32	170	32	38	32					
DSKNR/L														

★ DTGNR






型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存托块		a	b	L	h	s	e						
	R	L												
2020K16			20	20	125	20	24	28	MT1603 TN□□1604□□					DSP0510
2525M16			25	25	150	25	30	28						
3225P16			32	25	170	32	30	28						
3232P16			32	32	170	32	38	32						
DTGNR														

★ DTFNR



型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s						
	R	L					e						
2020K16	●		20	20	125	20	25	28					
2525M16	●		25	25	150	25	30	26					
3225P16	●		32	25	170	32	30	26					
3232P16	●		32	32	170	32	38	26					
DTFNR													
								TN □□1604 □□	MT1603	S3	DCL2211	DM0520	DSP0510

★ DVVNN



型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s						
	R	L					e						
2020K16			20	20	125	20	10	45					
2525M16			25	25	150	25	12.5	45					
3225P16			32	25	170	32	12.5	45					
3232P16			32	32	170	32	16	45					
DVVNN													
								VN □□1604 □□	MV1603	S3	DCL3113	MSX25 (内六角)	DSP0510


★ DVJNR/L

型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s						
	R	L					e						
2020K16			20	20	125	20	26	45					
2525M16			25	25	150	25	32	45					
3225P16			32	25	170	32	32	45					
3232P16			32	32	170	32	40	45					
DVJNR/L													
								VN □□1604 □□	MV1603	S3,S4	DCL3113	MSX25 (内六角)	DSP0510

★ DWLNR/L



型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	扳手 Wrench	压板 Clamp	压板螺丝 Clamp screw	螺钉 Screw
	库存 tock		a	b	L	h	s						
	R	L					e						
2020K08			20	20	125	20	25	32					
2525M08			25	25	150	25	32	31					
3225P08			32	25	170	32	32	31					
3232P08			32	32	170	32	39	31					
2020K06			20	20	125	20	25	25					
2525M06			25	25	150	25	30	25					
DWLNR/L													
								WN □□0804 □□	MW0804	S3,S4	DCL2612	DM0625	DSP0612
								WN □□0603 □□	MW0603	S3	DCL2211	DM0520	DSP0510

★ WTQNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	压板螺钉 Clamp screw	刀垫 Shim	扳手 Wrench	压板 Clamp	中心柱 Clamping stud
	库存 Stock		a	b	L	h	s	e						
	R	L												
2020K16			20	20	125	20	30	27	TN □□ 1604 □□	WM0525	MT 1603	S2.5 S4	WTL 16	SZ 0515
2525M16			25	25	150	25	35	27						
3232P16			32	32	170	32	45	32						
2525M22			25	25	150	25	38	36	TN □□ 2204 □□		MT 2204	S3,S4	WTL 22	SZ 0618
3232P22			32	32	170	32	45	36						
WTQNR/L														

★ WTJNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	压板螺钉 Clamp screw	刀垫 Shim	扳手 Wrench	压板 Clamp	中心柱 Clamping stud	
	库存 lock		a	b	L	h	s	e							
	R	L													
1316H16			13	16	125	31	20	20	TN □□1604 □□	WM0525	MT 1603	S2.5 S4	WTL 16	SZ 0515	
1616K16			16	16	125	31	22	32							
2020K16			20	20	125	31	25	32							
2525M16			25	25	150	31	32	32							
3232P16			32	32	170	31	39	36							
2525M22			25	25	150	25	32	38	TN □□ 2204 □□		MT 2204	S3,S4	WTL 22	SZ 0618	
3232P22			32	32	170	32	39	38							
WTJNR/L															

★ WTENN



型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Insert	压板螺钉 Clamp screw	刀垫 Shim	扳手 Wrench	压板 Clamp	中心柱 Clamping stud
	库存 stock		a	b	L	h	s	e							
	R	L													
2020K16				20	20	125	20	10	34	TN □□1604□□	WM0525	MT 1603	S2.5 S4	WTL 16	SZ 0515
2525M16				25	25	150	25	12.5	33						
3232P16				32	32	170	32	16	33						
2525M22				25	25	150	25	12.5	33	TN □□2204□□		MT 2204	S3,S4	WTL 22	SZ 0618
3232P22				32	32	170	32	16	33						
WTENN															

★ WWLNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	压板螺钉 Clamp screw	刀垫 Shim	扳手 Wrench	压板 Clamp	中心柱 Clamping stud
	库存 stock		a	b	L	h	s	e						
	R	L												
2020K08			20	20	125	25	27	32	WN □□ 0804 □□ WIN □□ 0804 □□	WM0525	MW 0804	S3 S4	WWL 08	SZ 0618
2525M08			25	25	150	32	32	32						
3232P08			20	32	170	40	38	32						
WWLNR/L														







内孔车刀系列

Internal turning tool holders


记号 Symbol	A	E	C	S	X
刀杆类型 Type of shank	钢杆+冷却孔 Steel shank+ Oil Cooling Hole	硬质合金杆 Carbide shank+ Oil Cooling Hole	硬质合金杆 Carbide shank	钢杆 Steel shank	使用特殊刀片 Special Insert Application



100	1125	1150	160	180	200	250	300	350	400
H	K	M	N	Q	R	S	T	U	V




★ MCKNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	e						
	R	L												
S20Q-MCKNR/L12			26	20	18	180	14	35	CN □□ 1204 □□	X	MSP613	MCL1810	WS061020	S2.5,S3
S25R-MCKNR/L12			32	25	23	200	16.5	35						
S32S-MCKNR/L12			40	32	30	250	22	50						
S40T-MCKNR/L12			50	40	38	300	26	55		MC 1204	MSP617	MCL1814	WS061025	S3
S50U-MCKNR/L12			60	50	48	350	30	60						

★ MCLNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	e						
	R	L												
S20Q-MCLNR/L12			26	20	18	180	13	40	CN □□ 1204 □□	X	MSP613	MCL1810	WS061020	S2.5,S3
S25R-MCLNR/L12			32	25	23	200	16	40						
S32S-MCLNR/L12			40	32	30	250	20	50		MC 1204	MSP617	MCL1814	WS061025	S3
S40T-MCLNR/L12			50	40	37	300	26	55						
S50U-MCLNR/L12			60	50	46	350	31	70						

★ MDQNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存 Stock													
	R	L	Dmin	φd	h	L	s	e						
S20Q-MDQNR/L1504			26	20	18	180	13	40	X	MSP613	MCL1810	WS061020	S2.5,S3	
S25R-MDQNR/L1504			32	25	23	200	17	45						
S32S-MDQNR/L1504			40	32	30	250	20	55						
S40T-MDQNR/L1504			50	40	38	300	24	55	MD 1504	MSP617	MCL2114	WS061025	S3	
S32S-MDQNR/L1506			40	32	30	250	20	55						
S40T-MDQNR/L1506			50	40	38	300	24	55						



★ MDUNR/L



型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存 Stock												
	R	L	Dmin	φd	h	L	s	e					
S20Q-MDUNR/L1504			28	20	18	180	17	40	X	MSP613	MCL1810	WS061020	S2.5,S3
S25R-MDUNR/L1504			32	25	24	200	19	40					
S32S-MDUNR/L1504			40	32	30	250	22	45					
S40T-MDUNR/L1504			50	40	37	300	26	55	MD 1504	MSP617	MCL2114	WS061025	S3
S32S-MDUNR/L1506			40	32	30	250	22	45					
S40T-MDUNR/L1506			50	40	37	300	26	55	DN □□1506 □□	MSP619			



内孔车刀 Internal turning tool holders

★ MDZNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存块 R	L	Dmin	φd	h	L	s	e						
S25R-MDZNR/L1504			36	25	23	200	22	35	11	X	MSP613			S2.5,S3
S32S-MDZNR/L1504			43	32	30	250	26	40	12		MSP617	MCL1814	WS061025	
S40T-MDZNR/L1504			50	40	37	300	29	50	11.5					
S32S-MDZNR/L1506			43	32	30	250	26	40	12					
S40T-MDZNR/L1506			50	40	37	300	29	50	11.5					


★ MSKNR/L



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存块 R	L	Dmin	φd	h	L	s	e						
S20Q-MSKNR/L12			26	20	18	180	13	15°	31					S2.5,S3
S25R-MSKNR/L12			32	25	23	200	17	12°	35	X	MSP613	MCL1810	WS061020	
S32S-MSKNR/L12			40	32	30	250	22	17°	40					
S40T-MSKNR/L12			50	40	37	300	27	15°	50					



内孔车刀 Internal turning tool holders

★ MVQNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存块 R	L	Dmin	φd	h	L	s	e						
S25R-MVQNR/L16			32	25	23	200	17	12°	40	X	MSP510	MCL1814		WS061025 S2.5,S3
S32S-MVQNR/L16			42	32	30	250	22	17°	40					
S40T-MVQNR/L16			50	40	37	300	27	15°	50	MV 1603	MSP513	MCL2414		

★ MVUNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存块 R	L	Dmin	φd	h	L	s	e						
S25R-MVUNR/L16			36	25	23	200	20	40	8					WS061025 S2.5,S3
S32S-MVUNR/L16			42	32	30	250	23	40	8	X	MSP510	MCL1814		
S40T-MVUNR/L16			50	40	37	300	27	55	10	MV 1603	MSP513			

★ MVWNR/L




型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存规格 R	L	Dmin	φd	h	L	s e F						
S25R-MVWNR/L16			36	25	23	200	22 35 10	VN □□ 1604 □□	X	MSP510	MCL1814	WS061025	S2.S3
S32S-MVWNR/L16			48	32	30	250	25 40 10						
S40T-MVWNR/L16			56	40	37	300	29 45 11						

★ MVXNR/L




型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存规格 R	L	Dmin	φd	h	L	s e F						
S25R-MVXNR/L16			32	25	23	200	17 55	VN □□ 1604 □□	X	MSP510	MCL2414	WS061025	S2.S3
S32S-MVXNR/L16			42	32	30	250	21 60						
S40T-MVXNR/L16			50	40	38	300	25 68						

★ MWLNR/L





型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存规格 R	L	Dmin	φd	h	L	s e						
S20Q-MWLNR/L08			25	20	18	180	14.5 36	WN □□ 0804 □□	X	MSP613	MCL1810	WS061020	S2.S3
S25R-MWLNR/L08			32	25	23	200	17 40						
S32S-MWLNR/L08			41	32	30	250	22 50						
S40T-MWLNR/L08			50	40	37	300	27 55						

★ MTFNR/L




型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存规格		Dmin	φd	h	L	s e						
	R	L											
S20Q-MTFNR/L16			25	20	18	180	13	35	X	MSP510	MCL1810	WS061020	S2,S3
S25R-MTFNR/L16			32	25	23	200	16	40			MSP513	MCL1814	
S32S-MTFNR/L16			40	32	30	250	20	45		MW 0804			
S40T-MTFNR/L16			50	40	37	300	25	50					

★ MTQNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench	
	库存锁		Dmin		φd		h L								s e
	R	L													
S20Q-MTQNR/L16			25	20	18	180	14	35	TN □□ 1604 □□	X	MSP510	MCL1810	WS061020	S2,S3	
S25R-MTQNR/L16			32	25	23	200	18	35				MT 1603			
S32S-MTQNR/L16			40	32	30	250	21	40		MSP513	MCL1814		WS061025		
S40T-MTQNR/L16			50	40	37	300	25	50							

★ MTJNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存锁		Dmin	φd	h	L	s	e						
	R	L												
S25R-MTJNR/L16			32	25	23	200	15	40	 TN □□1604□□	X	MSP510	 MCL1814	 WS061025	 S2,S3
S32S-MTJNR/L16			40	32	30	250	18	45			MSP513			
S40T-MTJNR/L16			50	40	37	300	24	55						

★ MTUNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存规格		Dmin	φd	h	L	s	e								
	R	L														
S20Q-MTUNR/L16			25	20	18	180	13	31	TN □ 1604 □ □	X	MSP510	MCL1810	WS061020	S2,S3		
S25R-MTUNR/L16			32	25	23	200	17	35				MCL1814	MSP513			
S32S-MTUNR/L16			40	32	30	250	22	40								
S40T-MTUNR/L16			50	40	37	300	23	50								

★ MTWNR/L





型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	销钉 Clamping screw	压板 Clamp	双头螺钉 Clamping screw	扳手 Wrench
	库存锁		Dmin	φd	h	L	s	e						
	R	L												
S20Q-MTWNR/L16			27	20	18	180	15	31	X	MSP510	MCL1810	WS061020	S2,S3	
S25R-MTWNR/L16			32	25	23	200	17	35						
S32S-MTWNR/L16			40	32	30	250	22	42		MSP513	MCL1814	WS061025		
S40T-MTWNR/L16			50	40	38	300	27	50						

★ PCLNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin	
	库存 Stock		R		L		φd		h								s
	R	L	Dmin	φd	h	L	s	θ°	e								
S16Q-PCLNR/L09			20	16	15	180	10	-12°	30								
S20Q-PCLNR/L09			25	20	18	180	12	-11°	30	CN □□ 0903 □□	VHX0509	S2	LV3C	--	--	--	
S25R-PCLNR/L09			32	25	23	100	15	-10°	35								
S20Q-PCLNR/L12			25	20	18	180	13	-11°	35		VHX0613	S2.5	LV4A	--	--	--	
S25R-PCLNR/L12			32	25	23	200	15	-12°	40								
S32S-PCLNR/L12			44	32	30	250	22	-10°	50	CN □□ 1204 □□	VHX0821	S3	LV4	PC12318	SP4		
S40T-PCLNR/L12			54	40	37	300	24	-10°	55								
S50U-PCLNR/L12			63	50	47	350	27	-10°	58								
S50U-PCLNR/L19			63	50	47	350	32	-10°	70	CN □□ 1906 □□	VHX1027	S4	LV6	PC19476	SP6		

★ PDSNR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin								
	库存 Stock		R		L		φd		h								L		s		e		f	
	R	L																						
S32S-PDSNR/L15					40	32	30	250	23.5	45	9													
S40T-PDSNR/L15					50	40	37	300	28.5	43	11													
S32S-PDSNR/L15-3					40	32	30	250	23.5	45	9													
S40T-PDSNR/L15-3					50	40	37	300	28.5	43	11													

★ PDUNR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin
	库存 Stock		R L													
	R	L	Dmin	φd	h	L	s	θ°	e							
S20Q-PDUNR/L11			25	20	18	180	13	-16°	30							
S25R-PDUNR/L11			32	25	23	200	17	-13°	35	DN 1104□□	VH×0512	S2	LV3D	-		-
S32S-PDUNR/L11			40	32	30	250	22	-16°	40		VH×0617	S2.5	LV3	PD11270	SP3	
S32S-PDUNR/L15			40	32	30	250	22	-16°	50		VH×0821	S3	LV4B	PD15318	SP4	
S40T-PDUNR/L15			50	40	37	300	27	-11°	50	DN 1506□□						
S32S-PDUNR/L15-3			40	32	30	250	22	-16°	50	DN 1504□□	VH×0821	S3	LV4	PD15318	SP4	
S40T-PDUNR/L15-3			50	40	37	300	27	-11°	50							

★ PSKNR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin
	库存 Stock															
	R	L	Dmin	φd	h	L	s	θ°	e							
S25R-PSKNR/L12			32	25	23	200	17	-12°	42		VHX0613	S2.5	LV4V	—	—	—
S32S-PSKNR/L12			44	32	30	250	22	-10°	45	SN □□1204 □□	VHX0821	S3	LV4	PS12318		SP3
SA0T-PSKNR/L12			54	40	37	300	27	-10°	50							

★ PTFNR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin	
	库存 Stock		Dmin	φd	h	L	s	θ°							e
	R	L													
S16Q-PTFNR/L 11			20	16	15	180	11	28							
S20Q-PTFNR/L 11			25	20	18	180	13	31	TN □□ 1103 □□	VHX0509	S2	LV2	--	--	
S25R-PTFNR/L 11			32	25	23	200	17	35							
S25R-PTFNR/L 16			32	25	23	200	17	42		VHX0512	S2	LV3B	--	--	
S32S-PTFNR/L 16			44	32	30	250	22	50	TN □□ 1604 □□			LV3	PT16476	SP3	
S40T-PTFNR/L 16			54	40	37	300	27	55		VHX0613	S2.5				

★ PWNLR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench	杠杆 Lever	刀垫 Shim	档垫 Shim pin
	库存 Stock		Dmin	φd	h	L	s	θ°						
	R	L												
S16Q-PWLNRL/06			20	16	15	180	11	-13°	25					
S20Q-PWLNRL/06			25	20	8	80	13	-13°	32	WN □ 0604 □	S2	LV3B	--	--
S25R-PWLNRL/06			32	25	23	200	17	-13°	35					
S20Q-PWLNRL/08			25	20	18	80	13	-13°	32			LV4A	--	--
S25R-PWLNRL/08			32	25	23	200	17	-13°	45	WN □ 0804 □	S2.5			
S32S-PWLNRL/08			40	32	30	250	22	-13°	50				PW08318	SP4
S40T-PWLNRL/08			50	40	42	300	30	-13°	55		S3	LV4		

★ SCLCR/L




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench	
	库存 Stock		D _{min}	φd	h	L	s	θ°				e
	R	L										
S07K-SCLCR/L 06			9	7	6	125	4.6		15			
S08K-SCLCR/L 06				10	8	7	125	4.5		14	T08	
S10K-SCLCR/L 06				12	10	9	125	6		17		
S12M-SCLCR/L06				16	12	11	150	7		17		
S12M-SCLCR/L 09				16	12	11	150	8		25		
S16Q-SCLCR/L 09				20	16	15	180	9		27	T15	
S20Q-SCLCR/L 09				25	20	18	180	11		28		
S25R-SCLCR/L 09				32	25	23	200	14		35		
S25R-SCLCR/L 12				32	25	23	200	17		38		
S32S-SCLCR/L 12				36	32	30	250	18		45	T20	
S40T-SCLCR/L 12				50	40	37	300	27		60		

★ SCLCR/L-H




型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench	
	库存 Stock		Dmin	φd	h	L	s	θ°				e
	R	L										
S08K-SCLCR/L 06H09			9	8	7	125	4.3	-15°	15			
S10K-SCLCR/L 06H11			11	10	9	125	5.5	-13°	16	CC-T 0602□□	T08	
S12M-SCLCR/L 06H13			13	12	11	150	6.5	-10°	17			
S16Q-SCLCR/L 09H17			17	16	15	180	8.5	-12°	27	CC-T 09T3□□	T15	

★ SCKCR/L




型号 Type	基本尺寸 Dimension(mm)									使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e			
	R	L										
S08K-SCKCR/L06			10	8	7.5	125	5.5	13°	15	CC□T 0602□□	L60M2.5×5	T08
S10K-SCKCR/L06			13	10	9	125	7	12°	15			
S12M-SCKCR/L06			16	12	11	150	8	10°	20			
S12M-SCKCR/L09			16	12	11	150	8	12°	20			
S16Q-SCKCR/L09			20	16	15	160	10	10°	25	CC□T 09T3□□	L60M4×8	T15
S20Q-SCKCR/L09			24	20	19	180	13	8°	30			
S25R-SCKCR/L09			31	26	24	200	16	8°	35			

★ SDQCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e				
	R	L											
S08K-SDQCR/L07			10	8	7	125	6	-8°			DC□T 0702□□	L60M2.5×5	T08
S10K-SDQCR/L07			13	10	9	125	7	-8°	20				
S12M-SDQCR/L07			16	12	11	150	9	-8°	22				
S16Q-SDQCR/L07			20	16	15	180	11	-6°	27				
S20Q-SDQCR/L11			25	20	18	180	13	-6°	35		DC□T 11T3□□	L60M4×8	T15
S25R-SDQCR/L11			32	25	23	200	17	-6°	38				

★ SDXCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable inset	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e				
	R	L											
S10K-SDXCR/L07			13	10	9	125	7	-8°	18		DC□T 0702□□	L60M2.5×5	T08
S12M-SDXCR/L07			16	12	11	150	8	-8°	20				
S16Q-SDXCR/L07			20	16	15	180	10	-6°	25				
S20Q-SDXCR/L11			25	20	18	180	13	-6°	33		DC□T 11T3□□	L60M4×8	T15
S25R-SDXCR/L11			32	25	23	200	16	-6°	32				

★ SDWCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e	f			
	R	L											
S12M-SDWCR/L07			19	12	11	25	11	-8°	15	5.5	DC□T 0702□□	L60M2.5×5	T08
S16Q-SDWCR/L 07			23	16	15	80	12.5	-8°	15	5			
S20Q-SDWCR/L 07			27	20	19	80	14.5	-8°	22	5.5			
S20Q-SDWCR/L 11			27	20	19	80	14.5	-6°	25	6			
S25R-SDWCR/L 11			32	25	24	200	18	-6°	25	7	DC□T 11T3□□	L60M4×8	T15
S32S-SDWCR/L 11			40	32	30	250	21.5	-6°	40	6.5			

★ SDUCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S08K-SDUCR/L07			13	08	7.5	125	8	-8°		4			
S10K-SDUCR/L07			13	10	9	125	7.7	-8°		3			
S12M-SDUCR/L07			16	12	11	50	8.5	-8°	22	3			
S16Q-SDUCR/L 07			20	16	15	180	11	-6°	27	3.5	DC□T 11T3□□	L60M4×8	T15
S20Q-SDUCR/L11			25	20	18	180	4.5	-6°	30	5.5			
S25R-SDUCR/L11			32	25	23	200	18.5	-6°	35	7			

★ SDZCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S20Q-SDZCR/L11			27	20	18	180	16	-6°	20	7.5			
S25R-SDZCR/L 11			33	25	23	200	19	-6°	30	7.5			
S32S-SDZCR/L 11			40	32	30	250	23	-6°	35	8.4			
S40T-SDZCR/L 11			50	40	37	300	28	-4°	50	9.4			

★ SSKCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Insert	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e	f			
	R	L											
S12M-SSKCR/L 09			16	12	11	150	9	-10°	25		SC□T 09T3□□	L60M4×8	T15
S16Q-SSKCR/L 09			20	16	15	180	11	-11°	30				
S20Q-SSKCR/L 09			25	20	18	80	13	-6°	35				
S25R-SSKCR/L 09			32	25	23	200	17	-8°	40				
S25R-SSKCR/L 12			32	25	23	200	17	-8°	40		SC□T 1204□□	L60M5×12	T20
S32S-SSKCR/L 12			40	32	30	250	22	-10°	45				

★ SSSCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable insert	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e	f			
	R	L											
S12M-SSSCR/L09			17	12	11	150	10	-10°	15	4.5	SC□T 09T3□□	L60M4×8	T15
S16Q-SSSCR/L09			22	16	5	180	13	-11°	25	5.5			
S20Q-SSSCR/L09			25	20	18	180	15	-6°	30	6			
S25R-SSSCR/L09			32	25	23	200	17	-8°	35	5.5			
S25R-SSSCR/L12			32	25	23	200	17	-8°	35	5.5	SC□T 1204□□	L60M5×12	T20
S32S-SSSCR/L12			40	32	30	250	22	-10°	40	7			

★ STFCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S08K-STFCR/L09			10	08	7	125	5.5	8			TC□T 0902□□	L60M2.2×6	T06
S10K-STFCR/L09			12	10	9	125	6.8	10					
S12M-STFCR/L09			16	12	11	150	8	10					
S12M-STFCR/L11			14	12	11	150	6.5	25					
S16Q-STFCR/L11			18	16	15	180	9	25					
S20Q-STFCR/L 11			25	20	18	180	11	25			TC□T 1102□□	L60M2.5×5	T08
S25R-STFCR/L 16			32	25	23	200	17	40					
S32S-STFCR/L 16			36	32	30	250	18	50					
S40T-STFCR/L 16			50	40	37	300	25	60					

★ STWCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S10K-STWCR/L11			14	10	9	25	8	-10°	14		TC□T 1102□□	L60M2.5×5	T08
S12M-STWCR/L11			16	12	11	150	9	-13°	25				
S16Q-STWCR/L11			20	16	15	180	11	-10°	30				
S20Q-STWCR/L 11			25	20	19	80	13	-6°	30				
S25R-STWCR/L11			32	25	24	200	17	-6°	35				
S20Q-STWCR/L16			25	20	19	180	14.5	-3°	36		TC□T 16T3□□	L60M4×8	T15
S25R-STWCR/L16			32	25	24	200	17	-6°	49				
S32S-STWCR/L16			39	32	30	250	22	-10°	50				
S40T-STWCR/L16			50	40	37	300	25	-8°	50				

★ STFPR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S08K-STFPR/L09			10	08	7	125	5	-10°	14		TP□T 0902□□(深)	L60M2.5×5	T08
S10K-STFPR/L11H11			11	10	9	125	5.5	-13°					
S12M-STFPR/L11H13			13	12	11	150	6.8	-10°			TP□T 1103□□(深)		
S16Q-STFPR/L11H17			17	16	15	180	8.8	-6°					

★ STUCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S08K-STUCR/L09			11	08	7	125	5.5	-15°			TC□T 0902□□	L60M2.2×6	T06
S08K-STUCR/L09-A16			11	16	15	125	5.5	-15°	24				
S10K-STUCR/L09			13	10	9	25	6	-13°	10				
S10K-STUCR/L09-A16			13	16	15	125	7	-13°	30				
S10K-STUCR/L11			13	10	9	25	7	-12°	10				
S10K-STUCR/L11-A16			16	16	15	125	7	-12°	30		TC□T 1102□□	L60M2.5×5	T08
S12M-STUCR/L11			16	12	11	150	7	-10°	25				
S12M-STUCR/L11-A16			16	16	15	150	7	-10°	30				
S16Q-STUCR/L11			20	16	15	160	9	-8°	25				
S20Q-STUCR/L11			25	20	19	180	11	-6°	25				
S25R-STUCR/L11			31	25	24	200	15	-4°	34		TC□T 16T3□□	L60M4×8	T15
S20Q-STUCR/L16			25	20	19	180	13	-8°	36				
S25R-STUCR/L16			31	25	24	200	17	-6°	40				
S32S-STUCR/L16			39	32	30	250	18	-4°	50				
S40T-STUCR/L16			50	40	38	300	25	-2°	60				

★ SVQCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S20Q-SVQCR/L16			27	20	18	180	15	-8°	40	6.0			
S25R-SVQCR/L16			32	25	23	200	18.5	-8°	45	6.9			
S32S-SVQCR/L16			40	32	30	250	22	-8°	56	8.4			
S40T-SVQCR/L16			50	40	37	300	27	-8°	64	9.4			

★ SVQBR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S20Q-SVQBR/L16			27	20	18	180	15	-8°	40	6.0			
S25R-SVQBR/L16			32	25	23	200	18.5	-8°	45	6.9			
S32S-SVQBR/L16			40	32	30	250	22	-8°	56	8.4			
S40T-SVQBR/L16			50	40	37	300	27	-8°	64	9.4			

★ SVUCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S16Q-SVUCR/L11			22	16	15	180	13.5		24	6	VC□T 1103□□	L60M2.5×5	T08
S20Q-SVUCR/L16			31	20	19	180	19		32	9.5			
S25R-SVUCR/L16			35	25	23	180	20		32	8.4	VC□T 1604□□	L60M4×8	T15
S32S-SVUCR/L16			42	32	30	250	22		49	8.4			
S40T-SVUCR/L16			51	40	37	300	27		49	11			

★ SVWCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e	f			
	R	L											
S16Q-SVWCR/L11			25	16	15	180	14		25	6.9	VC□T 1103□□	L60M2.5×5	T08
S20Q-SVWCR/L16			32	20	18	180	22		25	2.9			
S25R-SVWCR/L16			36	25	23	200	22		30	10	VC□T 1604□□	L60M4×8	T15
S32S-SVWCR/L16			45	32	30	250	27		42	2.2			
S40T-SVWCR/L16			55	40	37	300	30		50	11			

★ SVXCR/L





型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S16Q-SVXCR/L11			20	16	15	180	9.5		35	2	VC□T 1103□□	L60M2.5×5	T08
S20Q-SVXCR/L16			25	20	18	180	13		40	4			
S25R-SVXCR/L16			32	25	23	200	14.5		40	3	VC□T 1604□□	L60M4×8	T15
S32S-SVXCR/L16			40	32	30	250	21		62	6			
S40T-SVXCR/L16			50	40	37	300	24		62	5.5			

★ SVZCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
S16Q-SVZCR/L 11			22	16	15	180	13.5		15	6.5	VC□T 1103□□	L60M2.5×5	T08
S20Q-SVZCR/L 11			28	20	18	180	16		22	7.5			
S25R-SVZCR/L 16			34	25	23	200	21		30	10			
S32S-SVZCR/L 16			40	32	30	250	23		35	9	VC□T 1604□□	L60M4×8	T15
S40T-SVZCR/L 16			50	40	37	300	29		40	11			

★ SWUBR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f			
	R	L											
C05H-SWUBR/L06			6	5	4.5	100	3	-13°	7		WB-T 0601 □□	L60M2.0×4.3	T06
C06J-SWUBR/L06			7	6	5.5	110	3.5	-13°	7				

★ SCLCR/L




型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		D _{min}	φd	h	L	s	θ°	e	f			
	R	L											
C07K-SCLCR/L06			10	7	6.5	125	4.5	-15°	8				
C08K-SCLCR/L06			10	8	7.5	125	5	-15°	8				T08
C10M-SCLCR/L06			12	10	9.5	150	6	-13°	14		CC□T 0602□□	L60M2.5×5	
C12Q-SCLCR/L06			14	12	11	180	7	-10°	14				
C12Q-SCLCR/L09			16	12	11	180	8	-10°	14				
C14Q-SCLCR/L09			16	14	13	180	8	-12°	18				
C16R-SCLCR/L09			18	16	15	200	9	-12°	20		CC□T 09T3□□	L60M4×8	T15
C20S-SCLCR/L09			22	20	19	250	11	-8°	26				
C25T-SCLCR/L09			28	25	23	300	14	-6°	29				

★ STFCR/L



型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench		
	库存 Stock		R	L	Dmin	φd	h	L	s	θ°				e	f
C08K-STFCR/L09					10	8	7.5	125	5	-10°	8				
C10M-STFCR/L09					12	10	9.5	150	6	-10°	14			T06	
C12Q-STFCR/L09					16	12	11	180	8	-5°	14				
C12Q-STFCR/L11					16	12	11	180	8	-6°	14				
C16R-STFCR/L11					18	16	15	200	9	-6°	20			T08	
C20S-STFCR/L11					25	20	19	250	12	-6°	26				

★ STUPR/L




型号 Type	基本尺寸 Dimension(mm)											使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench
	库存 Stock		Dmin	φd	h	L	s	θ°	e	f				
	R	L												
C08K-STUPR/L09			11	8	7.5	25	5.5	-10°	8			TP○T 0902 □□□ (合装)	L60M2.5×5	T08
C10M-STUPR/L09			13	10	9.5	50	6.5	-8°	14					
C12Q-STUPR/L09			16	12	11	180	7.5	-6°	14					
C12Q-STUPR/L11			16	12	11	80	7.5	-6°	14			TP○T 1103 □□□ (合装)	L60M3×7	T15
C16R-STUPR/L11			18	16	15	200	9	-6°	20					
C20S-STUPR/L11			25	20	19	250	12	-6°	26					

备注：钨钢抗震内孔刀杆我可提供带内冷和不带内冷两种型号供客户选择


Note: Tungsten steel Anti-shaking Internal Turning tools with coolant hole or without coolant hole both can be offered.

★ SDQCR/L



型号 Type	基本尺寸 Dimension(mm)										使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench		
	库存 Stock		R	L	Dmin	φd	h	L	s	θ°				e	f
C10M-SDQCR/L07					13	10	9.5	150	7	-8°	14			T08	
C12Q-SDQCR/L07					16	12	11	180	9	-8°	14				
C16R-SDQCR/L07					20	16	15	180	13	-6°	20				

★ SDUCR/L



型号 Type	基本尺寸 Dimension(mm)											使用的刀片 Applicable Inset	螺钉 Screw	扳手 Wrench			
	库存 Stock		R	L	D _{min}	φd	h	L	s	θ°	e				f		
C10M-SDUCR/L07					13	10	9.5	150	7	-8°	14				L60M2.5×5		T08
C12Q-SDUCR/L07					16	12	11	180	9	-8°	14						
C16R-SDUCR/L07					20	16	15	200	11	-8°	20						
C20S-SDUCR/L07					25	20	19	250	13	-6°	16						


备注：钨钢抗震内孔刀杆我可提供带内冷和不带内冷两种型号供客户选择

Note: Tungsten steel Anti-shaking Internal Turning tools with coolant hole or without coolant hole both can be offered.

Threading tool holders code key



★外螺纹车刀 External threading tools




型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable inset	刀片螺钉 screw	刀垫 Shim	刀垫螺钉 Shim screw	扳手 Wrench
	库存 lock		a	h	b	L	s					
	R	L										
1010H11H			10	10	10	100	16	R/LT11.01W-□GM	L60 M2.5×6	--	—	T08
1212H11H			12	12	12	100	16					
1616H16H			16	16	16	100	20					
2020K16H			20	20	20	125	25					
2525M16H			25	25	25	150	32	R/LT16.01W-□GM	L60 M3.5×12	TT16-□□	SS04008	T15 S2.5
3225P16H			32	32	32	170	32					
3232P16H			32	32	32	170	40					
2525M22H			25	25	25	150	32					
3225P22H			32	32	32	170	32					
3232P22H			32	32	32	170	40	R/LT22.01W-□GM	L60 M5×16	TT22-□□	SS04008	T20 S2.5
4040S22H			40	40	40	250	50					
SER/L												

注明：配套刀片建议参考株洲钻石。Note:The insert is Zccct brand.

型号 Type	基本尺寸 Dimension(mm)							使用的刀片 Applicable inset	刀片螺钉 screw	刀垫 Shim	刀垫螺钉 Shim Screw	扳手 Wrench	
	库存 lock		a	h	b	L	s						
	R	L											
SER/L	1010H11			10	10	10	100	16	11ER/L	L60 M2.5×6	--	-	T08
	1212H11			12	12	12	100	16					
	1616H16			16	16	16	100	20					
	2020K16			20	20	20	125	25	16ER/L	L60 M3.5×12	TT16-□□	SS04008	T15 S2.5
	2525M16			25	25	25	150	32					
	3225P16			32	32	25	170	32					
	3232P16			32	32	32	170	40	22ER/L	L60 M4×16	TT22-□□	SS04008	T20 S2.5
	2525M22			25	25	25	150	32					
	3225P22			32	32	25	170	32					
	3232P22			32	32	32	170	40	27ER/L	L60 M6×16	TT27-□□		
	4040S22			40	40	40	250	50					
	3232P27			32	32	32	170	40					
4040S27			40	40	40	250	50						

注明：配套刀片建议参考 ISO 国标刀片。Note:The insert is ISO brand.

★内螺纹车刀 Internal threading tools



型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	螺钉 screw	扳手 Wrench	刀垫螺钉 Shim screw
	库存 stock	d	L	b	Dmin	s	h	L1					
SNR/L0010K11H		10	125	12	6	9.5	32	LT11.01N-  GM RT11.01N-  GM	--	L60 M2.5×6	T08		
SNR/L0012K11H		12	125	16	6	11.5	32						
SNR/L0013M16H		13	150	16	10	15.5	32						
SNR/L0016M16H		16	150	20	12	15.5	40		--		T15		
SNR/L0020Q16H		20	180	25	14	19.5	40	LT16.01N-  GM RT16.01N-  GM	TT16	L60 M3.5×8			
SNR/L0025R16H		25	200	30	16	24	45						
SNR/L0032S16H		32	250	38	20	30	55				T15 S2.5	SS04008	
SNR/L0025R22H		25	200	30	18	24	45						
SNR/L0032S22H		32	250	38	22	30	55	LT22.01N-  GM RT22.01N-  GM	TT22	L60 M5×16	T20 S2.5	SS04008	
SNR/L0040T22H		40	300	46	26	38	60						

注明：配套刀片建议参考株洲钻石。Note:The insert is Zccct brand.

型号 Type	基本尺寸 Dimension(mm)								使用的刀片 Applicable Inset	刀垫 Shim	螺钉 screw	扳手 Wrench	刀垫螺钉 Shim screw	
	库存 stock		d	L	b	Dmin	s	h						L1
SNR/L0010K11			10	125	12	6	9.5	32	11R/L	--	L60 M2.5×5	T08	SS04008	
SNR/L0012K11			12	125	16	6	11.5	32						
SNR/L0013M16			13	150	16	10	15.5	32						
SNR/L0016M16			16	150	20	12	15.5	40						
SNR/L0020Q16			20	180	25	14	19.5	40	16R/L	TT16	L60 M3.5×8	T15	SS04008	
SNR/L0025R16			25	200	30	16	24	45						
SNR/L0032S16			32	250	38	20	30	55						
SNR/L0025R22			25	200	30	18	24	45						
SNR/L0032S22			32	250	38	22	30	55	22R/L	TT22	L60 M4×16	T20 S2.5	SS04008	
SNR/L0040T22			40	300	46	26	38	60						
SNR/L0032S27			32	250	40	24	30	55						
SNR/L0040T27			40	300	50	30	38	60						

注明：配套刀片建议参考 ISO 国标刀片。Note:The insert is ISO brand.


切断切槽刀

Parting and grooving tool holders




切断切槽刀杆命名规则

Parting and grooving holder scode key



切断切槽刀 Parting and grooving tool holders

★外圆切断、切槽刀具 External Parting,Grooving and Turning Tools




型号 Type	基本尺寸 Dimension(mm)					刀片 Inserts	螺钉 screw	扳手 Wrench
	H×B	L	S	W	最大切深 a _{max}			
1616R/L10	16x16	100	15	2.5	10	Z*ED*****	M5×20	S4
1616R/L17	16x16	100	15	2.5	17	Z*ED*****		
2020R/L10	20x20	125	19	2.5	10	Z*ED*****		
2020R/L17	20x20	125	19	2.5	17	Z*ED*****	M6×20	S5
2525R/L10	25x25	150	24	2.5	10	Z*ED*****		
2525R/L17	25x25	150	24	2.5	17	Z*ED*****		
1616R/L10	16x16	100	14.8	3	10	Z*FD*****	M5×20	S4
1616R/L17	16x16	100	14.8	3	17	Z*FD*****		
2020R/L10	20x20	125	18.8	3	10	Z*FD*****		
2020R/L17	20x20	125	18.8	3	17	Z*FD*****	M6×20	S5
2525R/L10	25x25	150	23.8	3	10	Z*FD*****		
2525R/L17	25x25	150	23.8	3	17	Z*FD*****		
2020R/L13	20x20	125	18.5	4	13	Z*GD*****		
2020R/L22	20×20	125	18.5	4	22	Z*GD*****		
2525R/L13	25x25	150	23.5	4	13	Z*GD*****		
2525R/L22	25x25	150	23.5	4	22	Z*GD*****		
3232R/L13	32x32	170	30.5	4	13	Z*GD*****		
3232R/L22	32x32	170	30.5	4	22	Z*GD*****		
2525R/L13	25x25	150	23	5	13	Z*HD*****		
2525R/L22	25x25	150	23	5	22	Z*HD*****		
2525N 30	25x25	150	12.5	5	30	Z*HS*****		
3232R/L13	32x32	170	30	5	13	Z*KD*****	M6×20	S5
3232R/L22	32x32	170	30	5	22	Z*KD*****		
3232N 30	32x32	170	16	5	30	Z*HS*****		
2525R/L13	25x25	150	22.6	6	13	Z*KD*****		
2525R/L22	25x25	150	22.6	6	22	Z*KD*****		
2525N 30	25x25	150	12.5	6	30	Z*KS*****		
3232R/L13	32x32	170	29.6	6	13	Z*KD*****		
3232R/L22	32x32	170	29.6	6	22	Z*KD*****		
3232N 30	32x32	170	16	6	30	Z*KS*****		

可安装切断、切槽、车削、仿形刀片。Parting,grooving,turning,profiling inserts are adaptable to the tools.

切断切槽刀 Parting and grooving tool holders

★外圆切断、切槽刀具 External Parting,Grooving and Turning Tools




型号 Type	基本尺寸 Dimension(mm)					刀片 Inserts	螺钉 screw	扳手 Wrench
	H	L	S	W	最大切深 a _{max}			
1616-2	16	100	15	2	14.5	MGMN200-M	M5×17	S4
2020-2	20	125	19	2	14.5	MGMN200-M	M6×20	
2525-2	25	150	24	2	14.5	MGMN200-M	M6×20	
1616-2.5	16	100	15	2.5	16.5	MGMN250-M	M5×17	S4
2020-2.5	20	125	19	2.5	16.5	MGMN250-M	M6×20	S5
2525-2.5	25	150	24	2.5	16.5	MGMN250-M	M6×20	S5
1616-3	16	100	14.8	3	18	MGMN300-M	M5×17	S4
2020-3	20	125	18.8	3	18	MGMN300-M	M6×20	S5
2525-3	25	150	23.8	3	18	MGMN300-M		
2525-3-T10	25	150	23.8	3	10	MGMN300-M		
3232-3	32	170	30.5	3	18	MGMN300-M		
3232-3-T10	32	170	30.5	3	10	MGMN300-M		
2020-4	20	125	18.5	4	18	MGMN400-M		
2020-4-T10	20	125	18.5	4	10	MGMN400-M	M6×20	S5
2525-4	25	150	23.5	4	18	MGMN400-M		
2525-4-T10	25	150	23.5	4	10	MGMN400-M		
3232-4	32	170	30.5	4	18	MGMN400-M		
3232-4-T10	32	170	30.5	4	10	MGMN400-M		
2020-5	20	150	18	5	23	MGMN500-M		
2020-5-T15	20	150	18	5	15	MGMN500-M	M6×20	S5
2525-5	25	150	23	5	23	MGMN500-M		
2525-5-T15	25	150	23	5	15	MGMN500-M		
3232-5	32	170	30	5	23	MGMN500-M		
3232-5-T15	32	170	30	5	15	MGMN500-M		
2020-6	20	125	17	6	23	MGMN600-M		
2020-6-T10	20	125	17	6	10	MGMN600-M		
2525-6	25	150	22.6	6	23	MGMN600-M		
2525-6-T15	25	150	22.6	6	15	MGMN600-M		
3232-6	32	170	29.6	6	23	MGMN600-M		
3232-6-T15	32	170	29.6	6	15	MGMN600-M		

可安装切断、切槽、车削、仿形刀片。Parting,grooving,turning,profiling inserts are adaptable to the tools.

切断切槽刀

Parting and grooving tool holders

★端面切槽、车削刀具 Surace Grooving and Turning Tools





下刀直径范围

型号 Type	基本尺寸 Dimension(mm)						刀片 Inserts	螺钉 screw	扳手 Wrench
	H×B	L	S	W	a _r	Ø D (min-Max)			
QFFD2525R/L 10-48L	25x25	150	36.5	3	10	48-66	ZTFD0303-MG	M6×20	S5
QFFD2525R/L 17-48L	25x25	150	43.5	3	17	48-66	ZTFD0303-MG		
QFFD2525R/L 10-60L	25x25	150	36.5	3	10	60-80	ZTFD0303-MG		
QFFD2525R/L 17-60L	25x25	150	43.5	3	17	60-80	ZTFD0303-MG		
QFFD2525R/L 10-74L	25×25	150	36.5	3	10	74-110	ZTFD0303-MG		
QFFD2525R/L 17-74L	25×25	150	43.5	3	17	74-110	ZTFD0303-MG		
QFFD2525R/L 10-100L	25×25	150	36.5	3	10	100-150	ZTFD0303-MG		
QFFD2525R/L 17-100L	25x25	150	43.5	3	17	100-150	ZTFD0303-MG		
QFGD2525R/L 13-52L	25x25	150	39.5	4	13	52-72	ZTGD0404-MG		
QFGD2525R/L 22-52L	25x26	150	48.5	4	22	52-72	ZTGD0404-MG		
QFGD2525R/L 13-64L	25x25	150	39.5	4	13	64-100	ZTGD0404-MG		
QFGD2525R/L 22-64L	25x25	150	48.5	4	22	64-100	ZTGD0404-MG		
QFGD2525R/L 13-90L	25x25	150	39.5	4	13	90-140	ZTGD0404-MG		
QFGD2525R/L 22-90L	25x25	150	48.5	4	22	90-140	ZTGD0404-MG		
QFGD2525R/L 13-130L	25x25	150	39.5	4	13	130-230	ZTGD0404-MG		
QFGD2525R/L 22-130L	25x25	150	48.5	4	22	130-230	ZTGD0404-MG		
QFHD2525R/L 13-58L	25x25	150	39.5	5	13	58-96	ZTHD0504-MG		
QFHD2525R/L 22-58L	25x25	150	48.5	5	22	58-96	ZTHD0504-MG		
QFHD2525R/L 13-86L	25x25	150	39.5	5	13	86-140	ZTHD0504-MG		
QFHD2525R/L 22-86L	25x25	150	48.5	5	22	86-140	ZTHD0504-MG		
QFHD2525R/L 13-130L	25x25	150	39.5	5	13	130-200	ZTHD0504-MG		
QFHD2525R/L 22-130L	25x25	150	48.5	5	22	130-200	ZTHD0504-MG		
QFHD2525R/L 13-185L	25×25	150	39.5	5	13	185-400	ZTHD0504-MG		
QFHD2525R/L 22-185L	25x25	150	48.5	5	22	185-400	ZTHD0504-MG		
QFHS2525R/L 30-185L	25×25	150	56.5	5	30	185-400	ZTHS0504-MG		
QFKD2525R/L 13-60L	25x25	150	39.5	6	13	60-100	ZTKD0608-MG		
QFKD2525R/260L	25x25	150	48.5	6	22	60-100	ZTKD0608-MG		
QFKD2525R/L 13-88L	25x25	150	39.5	6	13	88-180	ZTKD0608-MG		
QFKD2525R/L 22-88L	25x25	150	48.5	6	22	88-180	ZTKD0608-MG		
QFKD2525R/L 13-160L	25×25	150	39.5	6	13	160-400	ZTKD0608-MG		
QFKD2525R/L 22-160L	25x25	150	48.5	6	22	160-400	ZTKD0608-MG		
QFKS2525R/L 630-1	25x25	150	56.5	6	30	160-400	ZTKS0608-MG		

切断切槽刀

Parting and grooving tool holders


★ QF □ D-RR




下刀直径范围

型号 Type	基本尺寸 Dimension(mm)						刀片 Inserts	螺钉 screw	扳手 Wrench
	H×B	L	S	W	a _r	Ø D (min-Max)			
QFFD2525RR10-48H	25x25	150	26	3	10	48-66	ZTFD0303-MG	M6×20	S5
QFFD2525RR17-48H	25x25	150	26	3	17	48-66	ZTFD0303-MG		
QFFD2525RR10-60H	25x25	150	26	3	10	60-80	ZTFD0303-MG		
QFFD2525RR17-60H	25x25	150	26	3	17	60-80	ZTFD0303-MG		
QFFD2525RR10-74H	25x25	150	26	3	10	74-110	ZTFD0303-MG		
QFFD2525RR17-74H	25x25	150	26	3	17	74-110	ZTFD0303-MG		
QFFD2525RR10-100H	25x25	150	26	3	10	100-150	ZTFD0303-MG		
QFFD2525RR17-100H	25x25	150	26	3	17	100-150	ZTFD0303-MG		
QFGD2525RR13-52H	25x25	150	26	4	13	52-72	ZTGD0404-MG		
QFGD2525RR22-52H	25x25	150	26	4	22	52-72	ZTGD0404-MG		
QFGD2525RR13-64H	25x25	150	26	4	13	64-100	ZTGD0404-MG		
QFGD2525RR22-64H	25x25	150	26	4	22	64-100	ZTGD0404-MG		
QFGD2525RR13-90H	25x25	150	26	4	13	90-140	ZTGD0404-MG		
QFGD2525RR22-90H	25x25	150	26	4	22	90-140	ZTGD0404-MG		
QFGD2525RR13-130H	25x25	150	26	4	13	130-230	ZTGD0404-MG		
QFGD2525RR22-180H	25x25	150	26	4	22	130-230	ZTGD0404-MG		
QFHD2525RR13-58H	25x25	150	26	5	13	58-96	ZTHD0504-MG		
QFHD2525RR22-58H	25x25	150	26	5	22	58-96	ZTHD0504-MG		
QFHD2525RR13-86H	25x25	150	26	5	13	86-140	ZTHD0504-MG		
QFHD2525RR22-86H	25x25	150	26	5	22	86-140	ZTHD0504-MG		
QFHD2525RR13-130H	25x25	150	26	5	13	130-200	ZTHD0504-MG		
QFHD2525RR22-130H	25x25	150	26	5	22	130-200	ZTHD0504-MG		
QFHD2525RR13-185H	25x25	150	26	5	13	185-400	ZTHD0504-MG		
QFHD2525RR22-185H	25x25	150	26	5	22	185-400	ZTHD0504-MG		
QFHS2525RR30-185H	25x25	150	26	5	30	185-400	ZTHS0504-MG		
QFKD2525RR 18-60H	25x25	150	26	6	13	60-100	ZTKD0608-MG		
QFKD2525RR22-60H	25x25	150	26	6	22	60-100	ZTKD0608-MG		
QFKD2525RR 13-88H	25×25	150	26	6	13	88-180	ZTKD0608-MG		
QFKD2525RR 22-88H	25x25	150	26	6	22	88-180	ZTKD0608-MG		
QFK 2525RR 13-160H	25x25	150	26	6	13	160-400	ZTKD0608-MG		
QFKD2525RR 22-160H	25x25	150	26	6	22	160-400	ZTKD0608-MG		
QFKS2525RR 30-160H	25x25	150	26	6	30	160-400	ZTKS0608-MG		

★ QF □ D-LL



★ ZQ




型号 Type	基本尺寸 Dimension(mm)						刀片 Inserts	螺钉 screw	扳手 Wrench
	H×B	L	S	W	a _r	Ø D (min-Max)			
QFED2525LL10-48H	25x25	150	26	3	10	48-66	ZTFD0303-MG	M6×20	S5
QFED2525LL17-48H	25x25	150	26	3	17	48-66	ZTFD0303-MG		
QFED2525LL10-60H	25x25	150	26	3	10	60-80	ZTFD0303-MG		
QFED2525LL17-60H	25x25	150	26	3	17	60-80	ZTFD0303-MG		
QFED2525LL10-74H	25x25	150	26	3	10	74-110	ZTFD0303-MG		
QFED2525LL17-74H	25x25	150	26	3	17	74-110	ZTFD0303-MG		
QFED2525LL10-100H	25x25	150	26	3	10	100-150	ZTFD0303-MG		
QFED2525LL17-100H	25x25	150	26	3	17	100-150	ZTFD0303-MG		
QFGD2525LL13-52H	25x25	150	26	4	13	52-72	ZTGD0404-MG		
QFGD2525L22-52H	25x25	150	26	4	22	52-72	ZTGD0404-MG		
QFGD2525LL13-64H	25x25	150	26	4	13	64-100	ZTGD0404-MG		
QFGD2525L22-64H	25x25	150	26	4	22	64-100	ZTGD0404-MG		
QFGD2525LL13-90H	25x25	150	26	4	13	90-140	ZTGD0404-MG		
QFGD2525L22-90H	25x25	150	26	4	22	90-140	ZTGD0404-MG		
QFGD2525LL13-130H	25x25	150	26	4	13	130-230	ZTGD0404-MG		
QFGD2525L22-130H	25x25	150	26	4	22	130-230	ZTGD0404-MG		
QFHD2525LL13-58H	25x25	150	26	5	13	58-96	ZTHD0504-MG		
QFHD2525L22-58H	25x25	150	26	5	22	58-96	ZTHD0504-MG		
QFHD2525LL13-86H	25x25	150	26	5	13	86-140	ZTHD0504-MG		
QFHD2525L22-86H	25x25	150	26	5	22	86-140	ZTHD0504-MG		
QFHD2525LL13-130H	25x25	150	26	5	13	130-200	ZTHD0504-MG		
QFHD2525L22-130H	25x25	150	26	5	22	130-200	ZTHD0504-MG		
QFHD2525LL18-185H	25x25	150	26	5	13	185-400	ZTHD0504-MG		
QFHD2525L22-185H	25x25	150	26	5	22	185-400	ZTHD0504-MG		
QFHS2525LL30-185H	25x25	150	26	5	30	185-400	ZTHS0504-MG		
QFK 2525LL13-60H	25x25	150	26	6	13	60-100	ZTKD0608-MG		
QFKD2525L22-60H	25x25	150	26	6	22	60-100	ZTKD0608-MG		
QFKD2525LL13-88H	25x25	150	26	6	13	88-180	ZTKD0608-MG		
QFKD2525L22-88H	25x25	150	26	6	22	88-180	ZTKD0608-MG		
QFKD2525LL13-160H	25x25	150	26	6	13	160-400	ZTKD0608-MG		
QFKD2525L22-160H	25x25	150	26	6	22	160-400	ZTKD0608-MG		
QFKS2525LL30-160H	25x25	150	26	6	30	160-400	ZTKS0608-MG		

型号 Type	基本尺寸 Dimension(mm)						刀片 Inserts	螺钉 screw	扳手 Wrench
	库存 Stock	h	b	L	S	B	a _{max}		
1616R03		16	16	100	16.4	3	16	ZQMX3N11-1-E	M5×17
1616R04		16	16	00	16.4	4	18	ZQMX4N11-1-E	
2020R03		20	20	125	20.4	3	20	ZQMX3N11-1-E	M6×20
2020R04		20	20	25	20.4	4	20	ZQMX4N11-1-E	
2525R03		25	25	50	25.4	3	20	ZQMX3N11-1-E	
2525R04		25	25	150	25.4	4	20	ZQMX4N11-1-E	
2525R05		25	25	50	25.4	5	25	ZQMX5N11-1-E	M6×22
2525R06		25	25	150	25.7	6	32	ZQMX6N11-1-E	
3225R03		32	25	70	25.4	3	25	ZQMX3N11-1-E	M6×22
3225R04		32	25	70	25.4	4	25	ZQMX4N11-1-E	
3225R05		32	25	70	25.4	5	25	ZQMX5N11-1-E	M5×17
3225R06		32	25	170	25.7	6	32	ZQMX6N11-1-E	
1616L03		16	16	100	16.4	3	16	ZQMX3N11-1-E	M6×20
1616L04		16	16	00	16.4	4	16	ZQMX4N11-1-E	
2020L03		20	20	25	20.4	3	20	ZQMX3N11-1-E	
2020L04		20	20	125	20.4	4	20	ZQMX4N11-1-E	
2525L03		25	25	50	25.4	3	20	ZQMX3N11-1-E	M6×20
2525L04		25	25	50	25.4	4	20	ZQMX4N11-1-E	
2525L05		25	25	150	25.4	5	25	ZQMX5N11-1-E	M6×22
2525L06		25	25	50	25.7	6	32	ZQMX6N11-1-E	
3225L03		32	25	170	25.4	3	25	ZQMX3N11-1-E	M6×22
3225L04		32	25	170	25.4	4	25	ZQMX4N11-1-E	
3225L05		32	25	170	25.4	5	25	ZQMX5N11-1-E	
3225L06		32	25	170	25.7	6	32	ZQMX6N11-1-E	


ZQ

★外圆切断的刀板 External Parting Blade



参考 Reference	刀杆形状 Blade shape	适用条件 Applicable conditions					适用刀片 Applicable blade
注释 Annotation		切断 cut off					
型号 Type	库存 Stock	H	W	L	h		
SPB	326-S	26	2.4	110	21.6	ZQMX3N11-1E	
	426-S	26	3.2	110	21.6	ZQMX4N11-1E	
	526-S	26	4.0	110	21.6	ZQMX5N11-1E	
	626-S	26	5.2	110	21.6	ZQMX6N11-1E	
	332-S	32	2.4	150	25	ZQMX3N11-1E	
	432-S	32	3.2	150	25	ZQMX4N11-1E	
	532-S	32	4.0	150	25	ZQMX5N11-1E	
	632-S	32	5.2	150	25	ZQMX6N11-1E	


SPB 系列刀板需要配套 PHS 系列刀座
SPB parting blade is matching with PHS parting blade holder



型号 Type	基本尺寸 Dimension(mm)						使用的刀片 Applicable Inserts	配套扳手 Wrench
	库存 Stock	L	H	h	B	W	ΦD _{max}	
QEE526N		110	26	19	2	2.5	60	ZPES02502-MG Q55
QEF526N		110	26	19	2.4	3	60	ZPFS0302-MG Q55
QEG526N		110	26	19	3.2	4	70	ZPGS0402-MG Q55
QEH526N		110	26	19	4	5	70	ZPHS0503-MG Q55
QEK526N		110	26	19	5	6	70	ZPKS0604-MG Q55
QEE532N		150	32	24.6	2	2.5	100	ZPES02502-MG Q55
QEF532N		150	32	24.6	2.4	3	100	ZPFS0302-MG Q55
QEG532N		150	32	24.6	3.2	4	120	ZPGS0402-MG Q55
QEH532N		150	32	24.6	4	5	120	ZPHS0503-MG Q55
QEK532N		150	32	24.6	5	6	120	ZPKS0604-MG Q55


QE □ S 系列刀板需要配套 QZS 系列刀座
QE □ S parting blade is matching with QZS parting blade holder

★内圆切槽及车削刀具 Internal Grooving and Turning Tools



型号 Type	基本尺寸 Dimension(mm)						适用的刀片 Applicable Inserts	螺钉 screw	扳手 Wrench
	Φ d	L	S	W	最大切深 a _{max}	Φ D (最大加工直径)			
C20Q-QEDR/L 05-27	20	180	15.2	2.5	5	27	ZTED*****	M4×14	S3
C25R-QEDR/L 07-33	25	200	20.3	2.5	7	33	ZRED*****	M5×17	S4
C32S-QEDR/L 09-42	32	250	25.3	2.5	9	42			
C20Q-QFDR/L 05-27	20	180	15.2	3	5	27	ZTFD*****	M4×14	S3
C25R-QFDR/L 07-33	25	200	20.3	3	7	33			
C32S-QFDR/L 09-42	32	250	25.3	3	9	42	ZRFD*****	M5×17	S4
C25R-QGDR/L 08-35	25	200	21.5	4	8	35	ZTGD*****	M5×17	S4
C32S-QGDR/L 11-44	32	250	27.5	4	11	44			
C40T-QGDR/L 13-54	40	300	33.5	4	13	54	ZRGD*****	M6×20	S5
C25R-QHDR/L 08-35	25	200	21.5	5	8	35	ZTHD*****	M5×17	S4
C32S-QHDR/L 11-44	32	250	27.5	5	11	44			
C40T-QHDR/L 13-54	40	300	33.5	5	13	54	ZRHD*****	M6×20	S5
C25R-QKDR/L 08-35	25	200	21.5	6	8	35			
C32S-QKDR/L 11-44	32	250	27.5	6	11	44	ZTKD*****	M5×17	S4
C40T-QKDR/L 13-54	40	300	33.5	6	13	54	ZRKD*****	M6×20	S5
C50T-QKDR/L 13-64	50	300	38.1	6	14	64			


★内圆切槽及车削刀具 Internal Grooving and Turning Tools



型号 Type	基本尺寸 Dimension(mm)						适用的刀片 Applicable Inserts	螺钉 screw	扳手 Wrench
	Ø d	L	S	W	最大切深 a _{max}	Ø D (最大加工直径)			
2016-1.5	16	180	11.3	1.5	3		MGMN150-M	M4×14	S3
2520-1.5	20	180	13.1	1.5	4		MGMN150-M	M5×17	S4
2925-1.5	25	200	16.2	1.5	4		MGMN150-M	M5×17	S4
2016-2	16	125	12.4	2	3		MGMN200-M	M4×14	S3
2520-2	20	125	14	2	5		MGMN200-M	M5×17	S4
2925-2	25	200	17.2	2	5		MGMN200-M	M5×17	S4
2016-2.5	16	125	12.5	2.5	6		MGMN250-M	M4×14	S3
2520-2.5	20	180	15.1	2.5	6		MGMN250-M	M5×17	S4
2925-2.5	25	200	18.2	2.5	6		MGMN250-M	M5×17	S4
2520-3	20	180	15.6	3	6		MGMN300-M	M5×17	S4
3125-3	25	200	18.9	3	5		MGMN300-M	M5×17	S4
3732-3	32	250	21.5	3	6		MGMN300-M	M5×20	S4
2520-4	20	180	15.6	4	6		MGMN400-M	M5×17	S4
3125-4	25	200	18.9	4	6		MGMN400-M	M5×17	S4
3732-4	32	250	21.5	4	6		MGMN400-M	M5×20	S4
3125-5	25	200	19.1	5	8		MGMN500-M		S5
3732-5	32	250	21.5	5	8		MGMN500-M		
3125-6	25	200	19.4	6	8		MGMN600-M		
3732-6	32	250	21.5	6	8		MGMN600-M		
3732-8	32	250	23.2	8	10		MGMN800-M		
4540-8	40	300	27.2	8	10		MGMN800-M		
3125-6A	25	200	19.4	6	8		MGMN600-M		
3732-6A	32	250	21.5	6	8		MGMN600-M		
3732-8A	32	250	23.4	8	10		MGMN800-M		
4540-8A	40	300	27.2	8	10		MGMN800-M		

可安装切断、切槽、车削、仿形刀片。(配套韩国克洛依刀片)Note:The insert is Korloy brand.
Parting,grooving,turning,profiling inserts are adaptable to the tools.

★用于外圆切断刀座的刀座 Parting Blade Holders



型号 Type	基本尺寸 Dimension(mm)						适用的刀片 Applicable Inserts	螺钉 screw	扳手 Wrench
	L	H	h1	h2	B	B1			
PHS2026	86	20	10	46.6	19	38	PHS26	M6×20	S5
PHG2526	86	25	5	46.6	23	42	PHS26		
PHS3226	86	32	3	51.6	30	48	PHS26		
PHS2032	110	20	13	50	19	38	PHS32		
PHS2532	110	25	8	50	23	42	PHS32		
PHS3232	110	32	5	54	30	48	PHS32		

此刀座用于 SPB 系列刀板 This parting blade holder is for SPB parting blades.